

PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as Delaware corporation DBA MacQueen Emergency ("MacQueen"), and Village of Lombard, (customer) is effective as of the date specified in Section 3 hereof.

1. Definitions

- a. "Product" means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.
- b. "Specifications" means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.
- c. "MacQueen Proposal" means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.
- d. "Delivery" means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. Purpose

This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. Term of Agreement

This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment

The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of $\frac{1,179,000.00}{1,179,000.00}$ ("Purchase Price"). Prices are in US Funds.

NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

5. Future Changes

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty or cancellation fee.

6. Agreement Changes

The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only



effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

7. Cancellation/Termination

In the event this Agreement is cancelled or terminated by the Customer before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

8. Delivery, Inspection, and Acceptance

a. Delivery

Delivery of the Product is approximately <u>33 - 36 months</u> of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made and title documentation shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof. Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.

b. Inspection and Acceptance

Upon Delivery, Customer shall have fifteen (15) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within thirty (30) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within fifteen (15) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

9. Notice

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

MacQueen Equipment, LLC 1125 7th Street East St. Paul, MN 55106 Village of Lombard

Tom Ellis, Operations Superintendent 255 E Wilson Ave Lombard, IL 60148

10. Standard Warranty

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

a. Disclaimer

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the



implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

b. Exclusions of Incidental and Consequential Damages

In no event shall MacQueen be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from MacQueen's own negligence, or otherwise.

11. Insurance

MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: \$ 2,000,000

Each Occurrence: \$2,000,000

Umbrella/Excess Liability Insurance:

Aggregate: \$5,000,000 Each Occurrence: \$5,000,000

The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.

12. Indemnity

The Customer shall indemnify, defend and hold harmless MacQueen, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, Judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of MacQueen or Pierce.

13. Force Majeure

MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default

The occurrence of one or more of the following shall constitute a default under this Agreement:

(a) the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; (b) MacQueen fails to perform any of its obligations under this Agreement; (c) either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement is false in any material respect; (e) the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or (f) the Customer is in default or has breached any other contract or agreement with MacQueen.

15. Relationship of Parties

Neither party is a partner, employee, agent, or joint venture of or with the other.

16. Assignment

Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.



17. Governing Law; Jurisdiction

Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Minnesota.

18. Facsimile & Electronic Verified Signatures

The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. Entire Agreement

This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. Conflict

In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. Additional Orders

Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. Signatures

This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

MACQUEEN EQUIPMENT, LYC	VILLAGE OF LOMBARD
Signature:	Signature: A Signature:
Name: Brian Young	Name: Keith T. Giagnorio
Title: Director of Sales	Title: Village President
Date: 12/9/2024	Date: 12/5/24



EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

MacQueen Equipment, LLC 1125 7th Street East St. Paul, MN 55106

Customer Name Village of Lombard Date November 18, 2024

Quantity	Chassis Type	Body Type	Contract Price per Unit
1	Enforcer	Pumper	\$1,179,000.00

*Houston-Galveston Area Council (HGAC) Consortium Pricing.

PERFORMANCE BOND OPTION:

If a Performance Bond is required add \$2,983.00 to the contract price. Initial here to accept:

Only the below listed person(s) are authorized to make changes to product specifications on behalf of the Customer.

Name	Title
Rick Senders	Fire Chief
Carl Goldsmith	Public Works Director

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Company available options, including chassis models. Any addition or deletion may affect the unit price.

"PAYMENT TERMS" 100% of contract price or any balance is due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI).

"TAXES" Federal, State, and Local Taxes are not included in the contract price.

"LATE PAYMENT" A late fee of .033% of the sale price will be charged per day for overdue payments beginning ten (10) days after the payment is due for the first thirty (30) days. The late fee increases to .044% per day until the payment is received.

[NOTE: If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to MacQueen.] All taxes, excises and levies that MacQueen may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by MacQueen to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per month or such lesser amount permitted by law. MacQueen will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), the Customer may withhold up to five percent (5%) of the Purchase Price until such time that MacQueen substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, the Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery, MacQueen shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by MacQueen or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to MacQueen, MacQueen shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Minnesota.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF November 18, 2024 BETWEEN MACQUEEN AND Village of Lombard (customer) WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN HEREIN.

Is Customer Name and Address listed on page 2 to be used on Certificate of Origin (CO)? ☐ Yes ☐ No
If not, please provide correct name and address to be listed on CO. Village of Lombard ASS E Vilson Ave Lombard II 60148
Is there a lienholder? Yes No
If yes, please provide lienholder Name & Address



EXHIBIT B - PROPOSAL OPTION LIST WITH WARRANTIES

SEE ATTACHED PROPOSAL OPTION LIST Bid Number 1385 Dated 11/18/2024 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.



Option List

11/18/2024

Customer: Representative Lombard, Village of

Kenna, John

Organization:

MacQueen Emergency Group

Requirements Manager:

Description:

Enforcer 8410 side mount pumper 12-7-22 Sister

Body: Chassis: Pumper, Long, Aluminum, 2nd Gen Enforcer Chassis

Old Norm

Lane:

Bid Number: 1385

Job Number: Number of Units:

s: 1

Bid Date: 11/28/2024

Stock Number:

Price Level:

51 (Current: 51)

Line	Option	Туре	Option Description	Qty
1	0766611		Pumper Boiler Plate	1
,	2 - ·		Fire Department/Customer - Village of Lombard	
			Operating/In conjunction W-Service Center - Operating	
			Miles - 25 Miles	
			Number of Fire Dept/Municipalities - 10	
			Bidder/Sales Organization - MacQueen Emergency	
			Delivery - Delivery representative	
2	0661794		Dealership/Sales Organization, Service - MacQueen Emergency Single Source Compliance	1
	0584456		Manufacture Location, Appleton, Wisconsin	1
	0584452		RFP Location: Appleton, Wisconsin	1
	0588609		Vehicle Destination, US	1
	0791096	SP	Build My Pierce™ Truck	1
•	0,0.000	0.	Fill in Blank - Booked with 483 options and 11 sps	•
7	0816491		Comply NFPA 1900 Changes Effective Jan 1, 2024, With Exceptions	1
	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
	0588611		Vehicle Certification, Pumper	1
10	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11	0816495		Certification, Vehicle Inspection Program, NFPA 1900	1
12	0620362		HGAC	1
13	0537375		Unit of Measure, US Gallons	1
14	0030006		Not Requested	1
15	0816569		P-Bond, Not Requested, PPI	1
16	0000007		Approval Drawing	1
17	0002928		Electrical Diagrams	1
	0649754		Enforcer Chassis	1
19	0000110		Wheelbase	1
			Wheelbase - 211"	
20	0000070		GVW Rating	1
21	0649713		GVW rating - 46,500 Frame Rails, 10.25" x 3.50" x .375", Saber FR/Enf	1
	0648354		Frame Liner, Internal "C", 9.38" x 3.13" x .25", Saber FR/Enf, 26" Qval	1
	0630705		19.500 lb TAK-4 Axle	1
	0030763		Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Enf/SFR	1
	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
	0000322		Oil Seals, Front Axle	1
	0582936		Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 pty	1
	0627153		Wheels, Front, Accuride, 22.50" x 9.00", Aluminum, Hub Pilot	1
29	0640711		27,000 lb Dana Axle	1
30	0544253		Top Speed of Vehicle, 68 MPH /109 KPH	1
31	0565380		Suspen, Rear, Single Slipper Spring, 27,000 lb, Saber/Enforcer	1
32	0000485		Oil Seals, Rear Axle	1
33	0782552		Tires, Rear, Goodyear, Endurance RSA, 12R22.50, LRH, Single	1
34	0019625		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single	1
35	0568081		Tire Balancing, Counteract Beads	1
36	0620570		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle	1
عدد بدو	6666647		Qty, Tire Pressure Ind - 6	
	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
39	0002045		Mud Flap, Front and Rear, Pierce Logo	1

Line C	Ontion	Туре	Option Description	Qty
	0646362	1900	Chocks, Wheel, Worden HWGY- SB, Super Gripper, (Up to 46" Diameter Tires)	1
,,,			Qtv. Pair - 01	
41 0	0646364		Mounting Brackets, Chocks, Worden Safety, Model U815T	1
			Location, Wheel chock - with one (1) in front and one (1) behind the DS	
			rear wheels equaling one (1) pair	
42.0	0820509		Qty, Pair - 01 ESC/ABS/ATC Wabco Brake System, Single Rear Axle, NFPA 1900/ULC	1
	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
	0627930		Brakes, Bendix, Cam, Rear, 16.50 x 8.63"	1
45 0	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
46 0	0644232		Brake Reservoirs, 4,272 Cubic Inch Minimum Capacity, Saber FR/Enforcer	1
			Paint Color, Air Tanks - Black #98	
	0630489		Air Dryer, Bendix, AD-9, With Wet Tank, Heated, Saber FR/Enforcer	1
	0542809		Brake Lines, Wire Braided	1
49 0	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - a) DS Step Well, Forward	
50.0	0014130		Qty, Air Coupling (s) - 1 Air Tank, Additional for Extra Air Horn Capacity	1
QQ	301-7100		Paint Color, Air Tanks - Black #101	
51 0	796282		Shields, Dust, Rear Brakes **	1
52 0	808535		Engine, Cummins X10, 450 hp, 1250 lb-ft, W/OBD, EPA 2027, Saber FR/Enforcer	1
53 0	811409		Not Required, Engine Contingency Adjustment	1
54 0	0001244		High Idle w/Electronic Engine, Custom	1
55 0	687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
	644227		Clutch, Fan, Air Actuated, Saber FR/Enforcer	1
	0001332		Fuel/Water Separator, Racor Inline, IAT	1
	0640477		Air Intake, Metal Screen, Saber FR/Enforcer	1
59 0	814375		Exhaust System, Horizontal, Right Side	1
			Exhaust, Diffuser - Aluminized Steel (Standard) Exhaust, Material/Finish - Aluminized Steel (Standard)	
			Location, Diffuser Termination - 2.00" Past Rub Rail (Standard)	
			Tip, Exhaust - Straight Tip (Standard)	
60 0	816170		Adapter, Exhaust, Magnegrip, for 7" Diffuser Outlet	1
61 0	788765		Radiator, Saber FR/Enforcer	1
	001090		Cooling Hoses, Rubber	1
63 0	545339		Fuel Tank, 65 Gallon, Left Side Fill, Stainless Steel	1
64.0	004400		Finish, Fuel Tank - Unpainted	
	001128 662965		Lines, Fuel, Wire Braided, Reusable Fittings DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Air Bottle Door	1
at an inches	723716		Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Reg'd	1
	552712		Not Required, Shutoff Valve, Fuel Line	1
	699437		Cooler, Chassis Fuel, Not Reg'd.	1
	690880		No Selection Required From This Category	1
70 08	887559		Trans, Allison 6th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf	1
71 06	625329		Transmission, Shifter, 5-Spd, Push Button, 3000 EVS	1
72 06	684459		Transmission Oil Cooler, Modine, External	1
73 00	001370		Driveline, Spicer 1710	1
	669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
	605356		Steering Wheel, 4 Spoke without Controls, Saber FR/Enforcer	1
	559647		Pierce Logo on Horn Button	1
	606441		19" Painted Steel Bumper	1
78 00	617334		Tray, Hose, Center, 19" Bumper, Outside Air Horns, 13" Deep, 11" Below/2" Above	1
			Grating, Bumper extension - Grating, Rubber	
79 06	633479		Capacity, Bumper Tray - 09) 150' of 1.50" Hose Restraint, Bumper Tray, Velcro Straps, Pair	1
. 5 50			Qty, Pair - 01	•
80 07	778092		Lift & Tow Package, Enforcer	1
81 00	002270		Tow Hooks, Chrome	1
82 00	094603		Cover, Special, Alum Treadplate, For Top of Bumper Hose Tray	1
			Location - match old unit	
			Qty, Hose Tray Covers - 1	

Line	Option	Type	Option Description	Qty
82			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
83	0558109		Notch, Front For Recessing Of Q2B, Painted Bumper Location - left side	1
84	0698960		Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black	1
85	0625644		Cab, Enforcer, 8410	1
	0647919		Engine Tunnel, ISL, Spray Insulation, Saber FR/Enforcer	1
	0887601		Cab Insulation, Enforcer/Saber FR	1
	0633594		Rear Wall, Interior, Adjustable Seating	1
	0632103		Rear Wall, Exterior, Cab, Saber FR/Enforcer	1
05	0001.00		Material, Exterior Rear Wall - Aluminum Treadplate	
90	0639727		Cab Lift, Elec/Hyd, Manual Override, Saber FR/Enforcer	1
	0695930		Grille, Bright Finished, Front of Cab, Enforcer	1
	0647989		Trim, S/S Band, Across Cab Face, Arrow XT/Saber/Enforcer	1
.02	00-7000		Material Trim/Scuffplate - c) S/S, Polished	·
93	0087357		Molding, Chrome on Side of Cab	1
	0521669		Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
	0072189		Mirror, 8.00" Convex, Cab Front, Front Cross View	1
	0648172		Full Height Door	1
30	0040112		•	1
			Key Model, Cab Doors - 751	
97	0655543		Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab	1
	0630636		Controls, Electric Roll-Up Windows, 4dr, 4 Driver Controls, Saber FR/Enforcer	1
	0638310		Steps, 4-Door Cab, Saber FR/Enforcer	1
33	0030310		•	(1)
100	0770194		Step Well Material - Aluminum Treadplate Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
	0892638		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts	1
101	0092000			\$
102	0583698		Color, Trim - Chrome Housing Fenders, S/S on cab, Extra Wide, Saber/Enf	1
	0621815		No Windows, Side of Crew Cab, 84" Enforcer	
	0012090		Not Required, Windows, Front/Side of raised roof	1
	0779033			
	0651515		Not Required, Windows Rear of Crew Cab, Saber FR/Enforcer	1
	0737426	SP	Window Protector Bars, Knurled, Crew Doors, 2" Above Window Sill Plate Compt, Storage, 24.50 W x 90 H x 15/22 D, RS CC, Web Int,Dbl Pan,Cfr,WW,Enf	1
			8410	
			Type of fastener - spring clip and hook	
			Restraint Location - Bottom (towards the ground)	
			Material Finish, Shelf - Painted - Cab Interior	
			Light, Aux Cab Compartment - Pierce, Striker Side Finish, Cab Compt/Component - Cab Interior	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 1.25" Up-Turned Lip	
			Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Non-Locking	
			Door, Exterior Stop - 2-Stay Arm	
			Light, Tall Cabinet - Pierce, Exterior, Left Side, Pierce, Exterior, Right	
			Side, Pierce, Interior, Left Side and Pierce, Interior, Right Side	
108	0650191		Mounting Only, Pike Poles Fire Hooks Unlimited, Hooks Nest 4/PAC Handlelok	1
			Location - on the passenger side, rear wall of cab	
400	0700700		Qty, -1	
	0722796		Dash, Poly, Saber FR/Enforcer	1
110	0607217		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Saber FR/Enforcer	1
			Mounting Provision Spacing - 1.50"	
	0750004		Material Finish, Cab Interior - Painted	
111	0750824		Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE	1
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
			Engine Tunnel Cover - Dark Silver Gray Endure Vinyl	
110	0752002		Cab Interior Rear Wall Material - Painted Aluminum	
: 12 1	0753903		Cab Interior, Paint Color, Saber FR/Enforcer	1
112	0052100		Color, Cab Interior Paint - a) gray	a a
	0722696		Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer HVAC, Standard-Duty, Enforcer, CARE	1
3 1 777 1	v, 22030			1
			HVAC System, Filter Access - Removable Panel	
			Auxiliary Cab Heater - Both HVAC System, Control Loc Panel Position #12	
			Plenum Cover Material - Formed Plastic	
			Figure Governmental - 1 Office Flagge	

Line	Option	Туре	Option Description	Qty
115	0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, SFR/Enf	1
440	0004000		Sun Visor Retention - Thumb Latch	1
	0634328 0583938		Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	2
111	0000000		Qtv. ~ 02	_
118	0631830		Fluid Check Access, Saber FR/Enforcer, Arrow XT	1
			Latch, Door, Storage - Southco C2 Chrome Raised	
	0583039		Not Required, Side Roll and Frontal Impact Protection	1
	0622619		Seating Capacity, 4 Belted Seats	1
	0636957 0636946		Seat, Driver, Pierce PSV, Air Ride, High Back, PRIMARY, SFR/Enf	1
	0620420		Seat, Officer, Pierce PSV, Fixed, SCBA, PRIMARY, SFR/Enf Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer	1
120	0020420		Latch, Door, Storage - Southco C2 Chrome Raised	•
124	0732586	SP	Cabinet, Rear Facing, LS, 23 W x 30 H x 26.75 D, Web, Ext Acc, SFR/Enf	1
125	0102783		Type of fastener - spring clip and hook Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Exterior, Left Side, Pierce, Exterior, Right Side, Pierce, Interior, Right Side and Pierce, Interior, Left Side Scuffplate, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751 Door, Exterior Stop - Bumper Louvers, Cabinet - 0-No Louvers Not Required, Seat, Rr Facing C/C, Center	1
	0732587	SP	Cabinet, Rear Facing, RS, 22 W x 30 H x 26.75 D, Web, Ext Acc, SFR/Enf	1
			Type of fastener - spring clip and hook Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Exterior, Left Side, Pierce, Exterior, Right Side, Pierce, Interior, Right Side and Pierce, Interior, Left Side Scuffplate, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751 Door, Exterior Stop - Bumper Louvers, Cabinet - 0-No Louvers	
127	0627653		Seat, Fwd Fcng C/C, LS Otbrd, Pierce PSV, 90° SCBA, SECONDARY, SFR/Enf	1
	0754772	SP	Seat, Fwd Fcng C/C, RS Inbrd, (1) Pierce PSV, SCBA, SECONDARY, SFR/Enf	1
	0108190	cn.	Not Required, Seat, Forward Facing C/C, RS Outboard	1
	0732620	SP	Cabinet, Rear Facing, Top Eng Tnl, 43 W x 18 H x 16 D, Web, Notch, SFR/Enf Type of fastener - spring clip and hook Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Interior, Right Side, Pierce, Interior, Left Side and Pierce, Interior, Horizontal Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip	
131	0766467		Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray Qty, - 04	4
132	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats Qty, - 03	3
133	0603866		Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer Seat Belt Color - Red	1
	0817557 0647644		Helmet Storage, Provided by Fire Department, NFPA/ULC 2024 Lights, Dome, FRP Dual LED 6 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Grey	1
136	0896451		Control, Dome Lt White - Door Switches Control, Dome Lt Color - Lens Switch Enhanced Software for Cab and Crew Cab Dome Lts	1

11/18/2024 9:09 AM Bid #: 1385

Line	Option	Type	Option Description	Qty
137	0555812		Handits, (2) Streamlight, Fire Vulcan, 44451 C4 LED, Tail lights, 12v, Orange	1
			Location, Lights - run wires on the inside of the rear facing EMS compartments, with enough wire that the customer can either mount these lights on the top of each cabinet or on the outside of the interior wall of each compartment at final.	
138	0554191		Handlight, Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lights, 12v, Orange Qty, Lights - 01 Location, Lights - RUN THE WIRING LEAVING A 3' PIGTAIL BEHIND THE OFFICER SEAT AND, SHIP THE LIGHT AND CHARGER LOOSE AND	1
139	0622803		THE CUSTOMER WILL MOUNT Cab Instruments, Black Gauges, Black Bezels, Enforcer MUX	1
440	00000044		Emergency Switching - Individual Switches	1
	0509511 0032602		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX Speedometer, Class 1 w/LED, Officer Overhead	1
	0673123		Light, Do Not Move Apparatus, Win 3SR00FRR LED	1
142	00/3123			1
143	0509042		Alarm, Do Not Move Truck - Steady Alarm Messages, Open Dr/DNMT, Color Dsply,	1
	0611683		Switching, Cab Instrument Lower Console & Overhead, Membrane, Enforcer WiFi	1
145	0802940		MUX Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer	1
			Location, Wiper Control - Standard Location	•
146	0820919		DO NOT TURN ON BATT DIR FEATURES!!	2
			Qty, - 02	
1/17	0821308		12vdc power from - Ignition power Location - 1 in the officer side dash area and 1 in the center rear facing CC cabinet, right (PS) wall at the top just inside the cabinet opening. Do Not Turn on Batt Dir	4
147	0021306		Qty, - 04 12vdc power from - Ignition power Wire termination - Butt Splice Location, Spare Wiring - TBD	4
148	0820920		DO NOT TURN ON BATT DIR FEATURES!! Qty, - 02 12vdc power from - Battery switched	2
149	0821331		Location - in the officer side of the dash area Wiring, Spare, 10 A 12V DC Batt Dir 3rd NFPA1900/ULC 12vdc power from - Battery direct Wire termination - Butt Splice	1
150	0821330		Location - TBD Wiring, Spare, 10 A 12V DC Batt Dir 2nd NFPA1900/ULC 12vdc power from - Battery direct	1
151	0821333		Wire termination - Butt Splice Location - TBD Wiring, Spare, 10 A 12V DC Batt Dir 4th NFPA1900/ULC 12vdc power from - Battery direct	1
152	0819994		Wire termination - Butt Splice Location - TBD Radio, Jensen, AM/FM/WB, Bluetooth	1
			Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - c) Roof-mounted rubber antenna Location, AM/FM Radio - e) switch panel	
153	0814201		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714 ** System Of Measurement - US Customary	1
154	0734854		Collision Mitigation, Not Requested	1
	0606249		Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
	0734995		Intercom, David Clark, 4-Pos, 2-Radio, D, O, 2obC, U3805	1
	0637058		David Clark Universal Radio Interfaces Included with Single/Dual System	1
	0589947		Location, Radio Interface - officer and driver positions Headset, David Clark, H3432 Over The Head, Flex Mic, Push On Push Off	4
100	00039 4 1		Qty, - 04 Location - For Driver, Officer and two Crew cab seats. Positions A, B, N and and L per the mark up intercom stations layout drawing 2012757 dated 2/4/2021.	7
159	0819255		Hangers For Headsets, NFPA/ULC 2024, Each Qty, - 04	4

159	Option	Type Option Description	Qty
109		Location, Headset Hangers - Driver Seat, Officer Seat and Rear, Center, Fwrd Fcng Seat	
160	0640003	Install Customer Provided Modem	1
		Location - underneath the front officers seat.	
		Qty, - 01	
161	0597940	Install Customer Provided Two-Way Radio Speaker(s)	1
		Location - under the overhead switch panel area, centered. As close to	
		the windshield as possible.	
400	0700550	Qty, - 01	1
162	0709553	Install Customer Provided Two-Way Radio(s), Dual Heads Location - one head will be located in PNL POS "A" and one will be	'
		located in LOC#6.	
		Qty 01	
		Fill in Blank - in the cab next to the main radio	
163	0699193	Install Customer Provided Antenna Whip(s) Only	2
		Location - on the antenna base that's going to be used for the customer	
		supplied and Pierce installed dual head radio system. OUTSIDE POSITIONS	
		BEHIND THE LIGHTBAR ENDS.	
404	0040000	Qty, - 02	1
104	0616382	Install Customer Provided GPS/Multimode Antenna(s)	1
165	0687904	Qty, - 01 Antenna Mount, Custom Chassis, Cable Routed to Behind Officer Seat	3
100	0007304		
		Location - behind the light bar, one at each end and one in the center, 6" behind the light bar with the leads gong behind the officer seat with a 36" pigtail.	
		Qtv 03	
166	0817058	Camera, Pierce, LS Mux, R Camera, SD, CL714 **	1
		Camera System Audio - Speaker on Ceiling Behind Driver	
167	0814831	Not Required, Camera Switcher	1
168	0661381	Recess, Rear Vision Camera, Polished Stainless Steel	1
		Location - in the DS rear bulkhead between the scene light and license	
400	0000440	plate light and bracket	
169	0890416	Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi CZT	1
		Color, Antenna - White Antenna	
		Module Housings - Black Housing with Power and Status Ind	
170	0896456	Prognostics, Electrical System	1
171	0816093	ClearSky Telematics, Remote Fleet & On-scene Management, AT&T Commercial	1
		**	
470	0004050	Subscription, Telematics - 3 Year Subscription	1
	0624253	Multiplexed Electrical System Rettorios (4) Straton/Evido Gra 21, 959 CCA on Thronded Stud	1
	0079166 0008621	Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud	11
	0002698	Battery System, Single Start, All Custom Chassis	1
	0812586	Battery Compartment, Saber/Enforcer Charger, Sngl Sys, Kussmaul, Chief 091-266-12-60, 60 Amp	1
	0814869	Location, Cab, Charger, Behind Driver Seat	1
	0811943		
178		Panel, Remote Control, Kussmaul, Chief 091-266-RCP	1
178 179	0814945	Location, Cab, Ind/Remote, Driver's Step Area	
178 179		Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851	1
178 179	0814945	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01	1
178 179	0814945	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab	1
178 179 180	0814945	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01	1
178 179 180	0814945 0782026	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow	1 1
178 179 180	0814945 0782026	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains	1 1 1
178 179 180 181 182	0814945 0782026 0026800	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40S1	1 1 1 1 1 1 1 1
178 179 180 181 182 183	0814945 0782026 0026800 0002683	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains	1 1 1
178 179 180 181 182 183 184	0814945 0782026 0026800 0002683 0647729 0092582	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable	1 1 1 1 1 1 1
178 179 180 181 182 183 184	0814945 0782026 0026800 0002683 0647729	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel	1 1 1 1 1 1 1 1
178 179 180 181 182 183 184 185	0814945 0782026 0026800 0002683 0647729 0092582 0783157	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel	1 1 1 1 1 1 1 1
178 179 180 181 182 183 184 185	0814945 0782026 0026800 0002683 0647729 0092582	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel Light, Directional, WIn 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf/Sab	1 1 1 1 1 1 1
178 179 180 181 182 183 184 185 186	0814945 0782026 0026800 0002683 0647729 0092582 0783157 0625953	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel Light, Directional, WIn 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf/Sab Color, Lens, LED's - m)match LED's	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
178 179 180 181 182 183 184 185 186	0814945 0782026 0026800 0002683 0647729 0092582 0783157 0625953 0750542	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel Light, Directional, WIn 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf/Sab Color, Lens, LED's - m)match LED's Light, Directional/Marker, Intermediate, Truck-Lite 60421Y LED 2lts	1 1 1 1 1 1 1 1 1 1 1 1
178 179 180 181 182 183 184 185 186 187 188	0814945 0782026 0026800 0002683 0647729 0092582 0783157 0625953	Location, Cab, Ind/Remote, Driver's Step Area Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - to the battery charger and receptacles in the cab Color, Cover, Bl Sea Inlet - Yellow Shoreline Location Location, Shoreline(s) - DS bumper Ext Tray, Battery, S/S, w/drains Alternator, 320 amp, Delco Remy 40SI Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel Light, Directional, WIn 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf/Sab Color, Lens, LED's - m)match LED's	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Line O		Type	Option Description	Qty
	527282		Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts	1
191 08	304761		Lights, Tail, WIn 604BTT* Red LED Stop/Tail & 604T Amb LED Dir For Housing Color, Lens - Colored	1
192 08	304764		Lights, Backup, Win 604BU, LED for Win 3 & 4 housing	1
193 08	389577		Bracket, License Plate & Light, P25 LED, Stainless Brkt	1
			Color, Trim - Chrome Housing	
194 05	509908		Bezels, WIn, (2) PLAST3V, For Mtg (3) WIn 600 Lts	1
195 05	589905		Alarm, Back-up Warning, PRECO 1040	1
196 06	695735		Lights, Perimeter Cab, Truck-Lite 44310C LED	1
			Cab, Perimeter Scene - Cab, 4dr Custom	
197 06			Lights, Perimeter Pump House, Truck-Lite 44310C LED 2lts	1
198 06	617846		Lights, Perimeter Body, Truck-Lite 44042C LED 2lts, Rear Step	1
199 08	OGAFA		Control, Perimeter Lts - Parking Brake Applied Enhanced Software for Perimeter Lts	1
200 05			Lights, Step, P25 LED 4lts, Pump Pnl Sw	1
200 00			Light, Roof Mt, Win S72M**, 72" Cnt Feature, Mkr Lts Not Activated	1
201 01	40070		Color, Win Lt Housing - White Paint	'
			Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
			LED Module Type - 4 White Spot	
202 07	75524		Lights, Wln, P*H1* Pioneer, 12 VDC, 1st	2
			Location - above the side crew cab windows	
			Qty, - 02	
			Color, Wln Lt Housing - Red #106 Paint	
			Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS, Cab and	
			Crew Cab Dr Sw, DS and Cab and Crew Cab Dr Sw, PS Scene Light Optics - combination	
			Mount, Win II - Semi-recessed 0 deg P**1	
203 05	32358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
204 06	45877		Lights, Hose Bed, Sides, Dual LED Light Strips	1
			Control, Hose Bed Lts - Cup Switch At Rear	
205 06			Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
206 06	45649		Lights, Rear Scene, Wln, M6ZC LED, M6P15C 15 Deg Brkt	2
			Location, Lights - one each side up high Qty, - 02	
			Control, Rear Scene Lts - Cab Switch Panel DS, Pump Panel DS and	
			Cup Switch at Rear	
207 07			Lights, Walk Surf, FRP Flood, LED	1
208 000			161" & 171" Long Custom	1
209 05			Body Skirt Height, 20"	1
210 00			750 Gallon New York Style Water Tank	1
211 000			Overflow, 4.00" Water Tank, Poly	1
212 00: 213 05:			Not Required, Foam Cell Modification	1
214 000			Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export Not Required, Direct Tank Fill	1 1
215 000			Not Required, Dump Valve	1
216 004			Not Required, Jet Assist	1
217 003			Not Required, Dump Valve Chute	1
218 05			Not Required, Switch, Tank Dump Master	1
219 06			New York Style Hose Bed	1
			Material Trim/Scuffplate - b) S/S, Brushed	
220 072	23549		Painted Hose Bed	1
221 000	03/81		Paint Color, Hose Bed Interior - Match Lower Body	4
221 000	00407		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 800' of 5", 800' of 3" with 300' 1.75" and 800' of 3" with 150' 2.5"	
222 000	03488		Divider, Hose Bed, Unpainted	2
000 000	07000		Qty, Hosebed Dividers - 2	
223 080	01329		Hose Restraint, Hose Bed, Vinyl, Top	1
			Color, Vinyl Cover - c) black Eastener, Top Restraint, Front - Quarter Turn	
			Fastener, Top Restraint, Front - Quarter Turn Fastener, Top Restraint, Sides - Quarter Turn	
224 080	07338		Hose Restraint, Hose Bed, Vinyl, Rear	1
			Vinyl Flap Weight - Not Weighted	

11/18/2024 9:09 AM Bid #: 1385 Page 7

Line Option	Type Option Description	Qty
224 225 0013512	Fastener, Rear Restraint, Bottom - Spring Clip and Hook Running Boards, 12.75" Deep	1
226 0689412	Tailboard, 16" Deep, Full Width, Extended Substructure	1
227 0828360	Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall, 41.88D Rear Compt	1
228 0889214	Tow Eyes, w/Tow Bar, 2G Pumper	1
229 0590926	Hose Restraint, Running Board, Velcro Straps	2
223 0330320	Location, Hose Tray, Running Board - a) both sides	_
	Qty, Tray, Hose - 2	
230 0014112	Tray, Hose, Running Board, Special Capacity, Predefined	2
	Location, Hose Tray, Running Board - a) both sides	
	Qty, Tray, Hose - 2	
	Capacity, Hose Tray (Predefined) - 35' of 3"	
231 0895820	Construction, Compt, Alum, 2G Pumper	1
232 0063662	161" Rollup FH Front & Rear FDLER	1
233 0063669	161" Rollup FH Front & Rear FDLER	1
234 0796649	Doors, Rollup, ROM Series IV, Side Compartments	6
	Qty, Door Accessory - 06	
	Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
	Latch, Roll-up Door - Non-Locking Liftbar	
235 0080647	Compt, Rear, Rollup, 30.75" FF, 41.88" D	1
236 0791760	Door, ROM Series IV, Rollup, Rear Compartment	1
	Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
007 055 4005	Latch, Roll-up Door - Non-Locking Liftbar	
237 0554995	No Body Modification Required	1
238 0625184	Guard, Drip Pan, S/S, Rollup Door, Pumper	7
	Qty, Door Accessory - 07	
239 0616670	Location, Door Guard/Drip Pan - LS1, LS2, LS3, RS1, RS2, RS3 and B1 Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
200 0010010	Qty, - 07	
	Location, Compartment Lights - All Body Compts	
240 0687146	Shelf Tracks, Painted	7
	Qty, Shelf Track - 07	
	Location, Shelf Track - LS1, LS2, LS3, RS1, RS2, RS3 and B1	
241 0600350	500 lb Adjustable Shelf	6
	Qty, Shelf - 06	
	Material Finish, Shelf - Painted - Spatter Gray	
	Location, Shelves/Trays, Predefined - RS3-Upper Third, RS2-Upper	
	Third, RS1-Upper Third, LS2-Lower Third, LS3-Upper Third and LS1-Upper Third	
242 0709690	Tray, 250 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations	2
	Qty, Tray (slide-out) - 02	~
	Location, Shelves/Trays, Predefined - RS3-Lower Third and LS3-Lower	
	Third	
	Material Finish, Tray - Painted - Spatter Gray	
243 0647091	Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	5
	Qty, - 05	
	Location, Tray Slide-Out, Floor Mounted - RS1, RS3, LS1, B1 and LS3	
244 0726441	Material Finish, Tray - Painted - Spatter Gray	
244 0/20441	Partition, Trans Rear Compt	2
	Qty, Partition - 02	
	Location, Partition - c) both sides	
245 0661391	Material Finish, Partition - Painted - Spatter Gray Plywood, Marine Grade .75", Back Wall, Compartment	6
0 .000,001	Location - the high side of each side body compartment, water tank wall	0
	Qty, Comp. Accessory - 06	
246 0004016	Rub Rail, Aluminum Extruded, Side of Body	1
247 0784811	Fender Crowns, Rear, Stainless, w/Removable Liner	1
	Material Finish, Fender Liner - Brushed Stainless	•
248 0519849	Not Required, Hose, Hard Suction	1
249 0626229	Handrails, Side Pump Panels, Per Print	1
250 0004126	Handrails, Beavertail, Standard	1
251 0610196	Handrail, Rear, Above Hose Bed, New York Style/Low Hose Bed	1
	Handrail Finish - Black Rubber Covered	-
	Reinforcement, Hose Bed Divider - Tied to Upper Handrail/Crossbar	
11/18/2024 9:09 AN		

1	Option	Туре	Option Description	Qty 2
252	0004150		Handrail, Extra - 15-20" Long	2
			Qty, Handrails - 02 Location, Handrail Additional - on top of the pump house, one each side to gain access to the cargo area	
253	0064150		Handrail, Extra - 20-30" Long	1
			Location, Handrails - centered below the arrow stick and the rear step	
			compartment	
254	0636301		Qty, Handrails - 01 Compt, Extinguisher (2) Fender Panel, Triangular Door, 8" Dia	2
204	0000001		Qty, - 02	-
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Double - LS Fwd	
			Latch, Air Bottle Compt - Southco C2 Chrome Raised Locking	
255	0657522		Insert, Air Bottle Compt - Dura-Surf Lining and Strap Loop Compt, Air Bottle, Triple, Fender Panel	2
233	0001022		Qty, Air Bottle Comp - 2	_
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Triple - LS Fwd and Triple - RS Fwd	
			Latch, Air Bottle Compt - Flush Lift & Turn	
250	0004760		Insert, Air Bottle Compt - Dura-Surf Lining Compt, Air Bottle, Single, Tri Door (DEF/Fuel), Flanged Edge, Fender Panel	1
200	0601760		Door Finish, Fender Compt - Polished	,
			Latch, Air Bottle Compt - Flush Lift & Turn	
			Insert, Air Bottle Compt - Dura-Surf Lining	
257	0521500		Strap, Air Bottle Compartment, Each	6
			Location, Bracket/comp in each triple air bottle compartment	
250	0004225		Qty, - 06	1
	0004225		Ladder, 24' Duo-Safety 900A 2-Section Ladder, 14' Duo-Safety 775A Roof	1
	0004250		Ladders Between Tank & Side Sheet RS	1
			Door, Material & Finish, Ladder Storage - smooth aluminum	
			Latch, Door Ladder Storage - D-Handle latch	
			Hinge Location - Left Side	4
	0733387		Ladder, 10' Duo-Safety Folding 585A	1
202	0557255		Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6 Location - one	•
			Qtv. Pike Poles - 1	
263	0816920		Pike Pole, Provided by Fire Department, NFPA/ULC 2024	2
			Qty, - 02	
004	0040040		Pike Pole Make/Model - Akron 12' Pike Pole	1
204	0816918		Pike Pole, 6', Provided by Fire Department, NFPA/ULC 2024	1
			Qty, - 01 Pike Pole Make/Model - Duo-Safety 6' Pike Pole	
265	0004361		Tubes, Alum, Pike Pole Storage	3
			Qty, Pike Pole Tubes - 03	
			Location, Pike Pole Tube - Ladder Storage	4
266	0673579		Mounting Bracket, Pike Pole, PAC Handlelok #1004, Ea	1
			Location - on the PS side back wall of cab as shown on the sales drawing to hold a 6' Fire Unlimited NY model RH head pike pole	
267	0785102		Qty, - 1 Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident	1
207	0.00.02		Coating, Step - black	
			Location, Steps - Full Height Left and Right Side w/LED Light	
268	0592994		Steps, Folding, Rear of Body, w/LED, Trident	1
000	0007575		Coating, Step - black	4
	0007575 0037731		48" Control Zone Side Mount Pump House Structure, Raised, Included with Ladder Storage	1
	0609251	SP	Platform, Over Cargo Area, FW, 2 Lift-up Doors, 1.5" Lip, Hatch Style Doors	1
	0000001	٠.	Hinge Location - Rearward	•
272	0004425		1500 GPM CSU Waterous	1
273	0004482		Seal, Mechanical, Waterous	1
	0816447		Trans, Pump, Waterous C22 Series	1
	0635600		Pumping Mode, Stationary Only	1
	0605126		Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous	1

277 0003148	Line	Option	Type	Option Description	Qty
279 0014486	45				
279 0014486	278	0004547		Auxiliary Cooling System	1
280 0650961 Nat Raquired, Intake Relief Valve, Relief Valve Provided Elsewhere 1					1
Controller, Pressure, Pierce LCD, Custom Chassis 1					1
Pressure Governor Throttle Control - Clockwise Pressure Governor Throttle Control - Clockwise Pressure Governor Default Mode - No Mode/Default Press Setting Primer, Trident, All Prime, All Coperated 1 Thermal Relief Vaive, OPAN, w/Red Warning Light and Audible Alarm, Waterous Pump Location, Thermal Relief Discharge - Ground Manuals, Pump, (2) Total, Electronic Copies 1 285 0802512 Plumbing, Stanless Steel and Hose, Single Stage Pump, Control Zone 1 286 0099437 Plumbing Wilhout Feam System 1 287 0004645 Plumbing, Stanless Steel and Hose, Single Stage Pump, Control Zone 1 288 0550698 Valve, Waterous Monarch wRelief, LS Side Inlet, 5", Waterous Handwheel Control 2 290 0550699 Valve, Waterous Monarch wRelief, LS Side Inlet, 6", Waterous Handwheel Control 2 290 059999 Not Required, Cap, Main Pump Inlet, Included w/Slorz Adapter 1 290 018158 Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" 2 20101518 Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" 2 202 018158 Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" 2 30 004700 Control, Inlet, at Valve 2 40 004660 Inlet, (1), Left Side, 2.50" 2 50 004680 Inlet, (1), Left Side, 2.50" 2 60 0055720 Adapter, Side Inlet, 6" FNST x 5" Storz w/Cap 2 60 0055720 Adapter, Side Inlet, 6" FNST x 5" Storz w/Cap 2 7 0897257 Location, driver's/passenger's/center - Left & Right 2 8 0755136 Valve, Inlet(s) Recessed, Side Side Cntrl, "Control Zone" 2 8 0755136 Valve, Relief Inlate, Front, Inlet, Elbhart 2 9 0755136 Valve, Relief Inlate, Front, Inlet, Elbhart 3 070 0732444 Swive, Front Inlet, Elbhart 3 070 073244 Swive, Front I					
Pressure Governor Default Mode - No Mode/Default Press Setting 1	201	0/2/003			
282 0072153					
Thermal Relief Valve, OPM, w/Red Warning Light and Audible Alarm, Waterous Pump Location, Thermal Relief Discharge - Ground	292	0072153			1
Pump					
Location, Thermal Relief Discharge - Ground	200	0000001			•
284 0780364 Manuals, Pump. (2) Total, Electronic Copies 1					
285 0602512	284	0780364			1
286 0089437	285	0602512			1
287 0004645 Inlets, 6.00" - 1250 GPM or Larger Pump 1 288 0550696 Valve, Waterous Monarch w/Relief, LS Side Inlet, 6", Waterous Handwheel Control 1 1 289 0550697 Valve, Waterous Monarch w/Relief, RS Side Inlet, 6", Waterous Handwheel Control 1 1 290 0550697 Valve, Waterous Monarch w/Relief, RS Side Inlet, 6", Waterous Handwheel Control 1 1 290 05606908 Not Required, Cep., Main Pump Inlet, Included w/Storz Adapter 1 1 1 200 056000 Valves, Alkron 8000 series-All 1 1 2 2 2 2 2 2 2 2					1
288 0550686					1
289 0550897					1
290 0699096					1
1					
292 0016158					
City, Inlets - 2					
293 0004700 Control, Inlef, at Valve 1	232	0010130			~
1	202	0004700			1
1					
Adapter, Side Inlet, 6" FNST x 5" Storz w/Cap					
Cdty, Adapter for Inlet - 2					
Location, driver's/passenger's/center - Left & Right	296	0055720			
Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper 1 Inlet, Size - Six					
Inlet, Size - Six	207	0007057			1
Drain, Suction - T Swing Handle Inlet, Front, Valve - Jamesbury 5.00" Inlet, Front, Valve - Jamesbury 5.00" Inlet, Front, Plumbing - Stainless Steel	297	0091251		=	
Inlet, Front, Valve - Jamesbury 5.00" Inlet, Front, Plumbing - Stainless Steel 298 0532614 Control, Front Inlet, Electric, Waterous, w/Override 1 299 0755136 Valve, Relief Intake, Front Inlet, Elkhart 1 Pressure Setting - 125 psig 300 0732444 Swivel, Front Inlet, 4.00" to 6.00", w/Orain Inlet, Size - 6.00" inlet Inlet Bleeder - Quarter-Turn Style Bleeder Finish, Front Inlet, Elbow/Adapter - 117 red 301 0004788 Cap, Front Inlet, Long Handle, VLH 1 302 0092569 No Rear Inlet (Large Dia) Requested 1 303 0064116 No Rear Inlet Actuation Required 1 304 0092696 Not Required, Cap, Rear Inlet 1 305 0009648 No Rear Inlet Relief Valve Required on Rear Inlet 1 306 0500064 Adapter, 6" (FNST) x 5" Storz, Rigid, w/Cap, Front Inlet 1 307 0092568 No Rear Auxiliary Inlet Requested 1 308 0723049 Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Dutlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Left Side Outlets, A5 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
Inlet, Front, Plumbing - Stainless Steel					
298 0532614 Control, Front Inlet, Electric, Waterous, w/Override 1					
Valve, Relief Intake, Front Inlet, Elkhart Pressure Setting - 125 psig Swivel, Front Inlet, 4.00" to 6.00", w/Drain Inlet, Size - 6.00" inlet Inlet Bleeder - Quarter-Turn Style Bleeder Finish, Front Inlet Elbow/Adapter - 117 red	202	0532614			1
Pressure Setting - 125 psig 300 0732444 Swivel, Front Inlet, 4.00" to 6.00", w/Drain 1 Inlet, Size - 6.00" inlet Inlet Bleeder - Quarter-Turn Style Bleeder Finish, Front Inlet Elbow/Adapter - 117 red 301 0004788 Cap, Front Inlet, Long Handle, VLH 1 302 0092569 No Rear Inlet (Large Dia) Requested 1 303 0064116 No Rear Inlet Actuation Required 1 304 0092696 Not Required, Cap, Rear Inlet 1 305 0009648 Not Required, Cap, Rear Inlet 1 305 0009648 No Rear Intake Relief Valve Required on Rear Inlet 1 307 0092568 No Rear Auxiliary Inlet Requested 1 308 0723049 Valve, 7.5" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL"					
Swivel, Front Inlet, 4.00" to 6.00", w/Drain 1	200	0100100			•
Inlet, Size - 6.00" inlet Inlet Bleeder - Quarter-Turn Style Bleeder Finish, Front Inlet Elbow/Adapter - 117 red	300	0732444			1
Inlet Bleeder - Quarter-Turn Style Bleeder	000	0102-7-7-7			-
Finish, Front Inlet Elbow/Adapér - 117 red 301 0004788				'	
301 0004788					
302 0092569 No Rear Inlet (Large Dia) Requested 1	301	0004788		and the second s	1
303 0064116	302	0092569		· · · · · · · · · · · · · · · · · · ·	1
304 0092696 Not Required, Cap, Rear Inlet 1 305 0009648 No Rear Intake Relief Valve Required on Rear Inlet 1 306 0500064 Adapter, 6" (FNST) x 5" Storz, Rigid, w/Cap, Front Inlet 1 307 0092568 No Rear Auxiliary Inlet Requested 1 308 0723049 Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL"					1
305 0009648 No Rear Intake Relief Valve Required on Rear Inlet 1 306 0500064 Adapter, 6" (FNST) x 5" Storz, Rigid, w/Cap, Front Inlet 1 307 0092568 No Rear Auxiliary Inlet Requested 1 308 0723049 Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets, Right Side Additional 1 318 0092571 Not Required, Outlets					1
306 0500064 Adapter, 6" (FNST) x 5" Storz, Rigid, w/Cap, Front Inlet 1 307 0092568 No Rear Auxiliary Inlet Requested 1 308 0723049 Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 2 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 2 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
307 0092568					
308 0723049 Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle 1 309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 2 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 2 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
309 0029043 Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing 1 310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 2 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
310 0004905 Outlet, Tank Fill, 1.50" 1 311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House 8 Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
311 0771671 Control, Outlets, Swing Handle, Vertical, Side Control, 48.00" Pump House Location - 'ALL" Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 314 0092570 Not Required, Outlets, Left Side Additional 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 316 0004945 Outlet, Right Side, 2.50" Qty, Discharges - 02 Qty, Discharges - 02 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional					
Location - 'ALL"					
Qty, Discharges - 08 312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1	311	0771071			0
312 0004940 Outlet, Left Side, 2.50" 2 Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1					
Qty, Discharges - 02 313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 2 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1	212	0004040			2
313 0005091 Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1	012	0004546			-
314 0092570 Not Required, Outlets, Left Side Additional 1 315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1	312	0005091			1
315 0035094 Not Required, Elbow, Left Side Outlets, Additional 1 316 0004945 Outlet, Right Side, 2.50" 2 Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1				V-11-5	
316 0004945 Outlet, Right Side, 2.50" 2	S				
Qty, Discharges - 02 317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 318 0092571 Not Required, Outlets, Right Side Additional					
317 0025091 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH 1 318 0092571 Not Required, Outlets, Right Side Additional 1	310	0004940		Control of the Contro	۷
318 0092571 Not Required, Outlets, Right Side Additional 1	247	0025004			1
318 0008004 NOI Required, Elbow, Right Side Obliets, Additional					
	318	0000004		not nequired, Elbow, right olde Outlets, redutional	1

11/18/2024 9:09 AM Bid #: 1385 Page 10

Line	Option	Туре	Option Description	Qty
320	0816625		Outlet, Large Diameter, Right Side, Akron Valve	1
			Outlet, Large Diameter, Plumbing - 4.00"	
			Outlet, Large Diameter, NST Adapter - 4.00" MNST	
224	0005097		Outlet, Large Diameter, Valve Actuation - Pierce large handwheel Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
321	0003097			1
322	0649939		Qty, - 01 Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with fixed painted elbow	_
			Drain, Front Outlet - Automatic	
			Location, Front, Single - top of left bumper	
323	0004995		Outlet, Rear, 2.50"	1
			Qty, Discharges - 01	
224	0045004		Location, Outlet - b) left side	1
	0045091 0092574		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
	0092574		Not Required, Outlet, Rear, Additional Not Required, Elbow, Rear Outlets, Large, Additional	1
	0003693		Not Required, Cutlet, Hose Bed/Running Board Tray	1
	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
	0723042		Valve, 0.75" Bleeder, Discharges, "T" Swing Handle	1
	0005080		Reducer, 2.50" FNST x 1.50" MNST, w/Cap	2
			Qty, Adapter for Outlets - 02	-
			Location, Adapter(s) - number 1 and number 3 outlet	
331	0820280		Outlet, 3.00" Deluge Riser	1
332	0770359		No Monitor Requested, Customer/Dealer Furnished and Installed	1
			Fill in Blank - TBD	
	0029304		No Nozzle Req'd	1
	0005070		Deluge Mount, NPT	1
	0723726		Speedlay Module Not Required	1
	0722432		Hose Restraint Not Required, No Speedlay Module	1
	0723395		Speedlays, Not Required	1
	0723394	en.	Speedlays, Not Required	1
338 (0723236	SP	Crosslay, (1) 1.50" SpcI Cap or Single Stack, SngI Sheet w/(1) SpcI Cap DL	1
			Capacity, Special Xlay - 200' of double stack 1.75"	
340 (0029196		Capacity, Hose, Deadlay - 200' of 1.75" hose in a 3 stack load No Crosslay	1
341 (0589169		Hose Restraint, Crosslay/Deadlay, Each Side, Ends Only, Elastic Netting	2
			Qty, - 02	_
			Restraint Location - Bottom (towards the ground)	
	0029260		No Speedlays	1
	0750536		Hose Restr, Spdly, Not Required, No Spdly	1
	0075206		Cover, Crosslay, Bi-fold 3\16" Alum Treadplate	1
	0019853		Crosslays, 8.00" Lower Than Standard - Control Zone w/9.00" Raised PH	1
	0505194		Holder, Rubber Latch, Pair, Crosslay Cover	1
	0044333		Foam System Not Required	1
	0012126		Not Required, CAF Compressor	1
	0552517 0042573		Not Required, Refill, Foam Tank	1
	0042373		Not Required, Foam System Demonstration Not Required, Foam Tanks	1
	0091110		Not Required, Foam Tanks Not Required, Foam Tank Drain	1
	0091079		Not Required, Foam Tank #2	1
	0091112		Not Required, Foam Tank #2 Drain	1
	746447		Approval Dwg, All Pump Panel(s), Includes Color And Label Tags	1
			Num Of Truck(s) or Sim Unit, ALL Pump Pnl, Dwg - 01	•
356 0	032479		Pump Panel Configuration, Control Zone	1
357 0	635355		Material, Pump Panels, Side Control Painted FormCoat Black	1
			Material Finish, Pump Panel, Side Control - Painted FormCoat Black	
. all	LULETTA.		Material, Pump Panel, Side Control - Aluminum	
358 0	721765		Panel, Pump Access - Right Side Only, Side Control	1
050.0	E00004		Latch, Pump Panel Access, Side Mount - Swell Latch, Black	
ახ9 0	583824		Light, Pump Compt, WIn 3SC0CDCR LED White	1
360.0	586382		Qty, - 01 Gauges Engine Included With Proceure Controller	4
300 0	700000Z		Gauges, Engine, Included With Pressure Controller	1

				04.
	Option	Type	Option Description	Qty 1
	0005601		Throttle, Engine, Incl'd w/Press Controller	1
	0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
	0549333		Indicators, Engine, Included with Pressure Controller	1
	0745568		Indicator Light, Pump Panel, Ok To Pump, Green	
	0005690		Gauges, 6.00" Master, Class 1, 30"-0-600psi	1
	0038070		Gauge, 2.50" Pressure, Class 1, 30"-0-400psi	1
	0750526		Gauge, Water Level, Pierce, In pressure Controller, Lt Driver	1
368	0750438		Water Level Gauge, WIn PSTANK2, LED 1-Light, 4-Level	2
			Qty, - 02	
			Activation, Water Level G - pg) pump in gear	
			Location, Water Level Gauge, Multi-Select - Each Side Custom Cab	
200	0006774		Color, Trim - Chrome Trim	1
			Not Required, Foam Level Gauge	1
	0682503		Light Shield/Step 8", LED, P25 LED Stp Lt	1
	0682498		Light Shield/Step 8", PS LED, P25 LED Stp Lt	
	0606694		Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
	0606834		Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1
	0757092		Control, Air Horn, Multi Select	1
3/5	0757076		Control, Air Horn, Lanyard, RS	1
070	0252027		Lanyard - Link Chain, Vinyl Tubing	
3/6	0757077		Control, Air Horn, Lanyard, LS	1
077	0540004		Lanyard - Link Chain, Vinyl Tubing	
	0549924		Siren, Federal PA300-012MSC 690010, Hi-Lo Tone, 200 Watt	1
	0692039		Location, Electronic Siren, Center Console	1
	0076156		Control, Elec Siren, Head Only	1
	0550216		Speaker, (1) Federal, BP200-EF, 200 watt, Stainless Steel	1
381	0601551		Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame, Outbrd (Pos	1
382	0895310		1) Siren, Federal Q2B	1
			Finish, Q2B Siren - Chrome	
383	0006097		Location of Siren, Recessed in Bumper	1
			Location, Siren, Mech - a) Left	
384	0748305		Control, Mech Siren, Multi Select	1
385	0748282		Control, Mech Siren, Ft Sw LS	1
386	0748281		Control Mech Siren, Ft Sw RS	1
387	0740392		Sw, Siren Brake, Momentary Red, RS Overhead Sw Pnl	1
388	0746353		Not Required, Warning Lights Intensity	1
389	0766986	SP	Lightbar, Wln, Freedom IV-*, 2-21.5" 1-23", RBRWB ROptB RWBRB, 30 deg	1
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch & E-Master	
			Momentary Opticom Activation - DS Switch	
000	0040000		Filter, Whl Freedom Ltbrs - No Filters	
	0016380		No Additional Lights Req'd, Side Zone Upper	1
391	0899966		Lights, Front Zone, Win 6RB* 6RB* 6RB*, 4lts Q Bezel	1
			Color, Lens, LED's - Colored	
			Color, Lt DS Frnt Outside - Left Red	
			Color, Lt PS Frnt Outside - Right Red	
			Color, Lt DS Front Inside - Left Red Color, Lt PS Front Inside - Right Green	
			Color, Q Bezel and Trim - Polished Chrome	
392	0653937		Flasher, Headlight Alternating	1
			HeadIt flash deactivation - a)w/high beam	•
393	0622944		Lights, Side Zone Lower, WIn M6V2** Warning & Scene, 3pr, Ovr 25	1
			Location, Lights Mid - cab	,
			Location, Lights Rear - rear tire	
			Location, Lights Front Side - b)each side bumper	
			Color, Lens, LED's - Clear	
			Color, Lt Side Front - Red	
			Color, Lt Side Middle - Red	
			Color, Lt Side Rear - Red	
			Control, Scene Lts - Cab Sw Panel DS, Park Brake, Cab Sw Panel PS	
			and Directional Light	

Line	Option	Туре	Option Description	Qty
	0895501		Lights, Door Interior Flash, 4 Dr Cab, Wln M4# Split	1
			Color, Trim - Chrome Trim	
			Control, Door Int Flash - None (Doors only)	
			Location, Light, Door Int Flash - Low and Outside	
			Color, Lt Cab Left, Split - Red Outside, Amber Inside	
			Color, Lt Cab Right, Split - Red Outside, Amber Inside	
			Color, Lt Crew Cab Left, Split - Red Outside, Amber Inside	
205	0815847		Color, Lt Crew Cab Right, Split - Red Outside, Amber Inside Connectors, Door Interior Flash, All Cabs, Weatherproof	1
			Lights, Rear Zn Lwr, Wln M6*, Colored Lens	1
290	0540777		• .	•
			Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red	
397	0749914		Light, Rear Zone Up, Win B63M7**, Rota-Beam & M7** LED Lt	1
007	01 .00		Color, Lens, LED's - Clear	
			Color, Beacon, DS LED's - Red	
			Color, Beacon, PS LED's - Red	
			Color, Lt, Rear Lower DS - DS Rear Lower Red	
			Color, Lt, Rear Lower PS - PS Rear Lower Red	
398	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
399	0006615		Mtg, Rear Warn Lts, Compt Top	1
400	0791528		Light, Traffic Directing, WIn TAL65, 36.00" Long, TACTL5	1
			Activation, Traffic Dir L - Not Connected	
401	0551728		Location, TDL, Recessed with S/S Trim	1
402	0530282		Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End	1
403	0781579		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab	6
			Qty, - 06	
			Location 1 - 2 PS comp't behind the CC door, 1 high and 1 low, rear crew	
			cab wall. 1 in LS1 and RS1 recessed in the wheel well side of the comp't and 1	
			B1 rear wall, high and centered. 1 in rear facing center CC cabinet centered at top forward w	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
404	0519934		Not Required, Brand, Hydraulic Tool System	1
405	0649753		Not Required, PTO Driven Hydraulic Tool System	1
406	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
407	0816508		NFPA Required Loose Equipment, Pumper, NFPA/ULC 2024, Provided by Fire	1
400	0545040		Dept	
	0519913		Not Required, Soft Suction Hose	1
	0027023		No Strainer Required	1
	0816939		Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department	1
	0816937		Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept	1
	0816998		Axe, Flathead, Provided by Fire Department	1
	0817000		Axe, Pickhead, Provided by Fire Department	1
	0741569		Paint Process / Environmental Requirements, Appleton	1
415	0709567		Paint, Single Color, Enforcer	1
440	0709845		Paint Color, Cab - 117 red	1
410	0709645		Single Color Body Paint	•
117	0646901		Paint, Body - Match Lower Cab Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
417	0040901			•
418	0693797		Paint Color, Frame Assembly, Predefined - Gloss Black No Paint Required, Aluminum Front Wheels	1
	0693792		No Paint Required, Aluminum Rear Wheels	1
	0733739		Paint, Axle Hubs	1
TEV	5,00100		Paint, Axle Hub - Lower Job Color	•
421	0007230		Compartment, Painted, Spatter Gray	1
	0544129		Reflective Band, 1"-6"-1"	1
766	JU I FIEU		Color, Reflect Band - A - a) white	•
			Color, Reflect Band - A - a) white Color, Reflect Band - B - I) white	
			Color, Reflect Band - C - w) white	
423	0680703		Reflective Stripe Across Cab Face	1
	0536954		Stripe, Chevron, Rear, Diamond Grade, Pumper	1
			Color, Rear Chevron DG - fluorescent yellow green	

11/18/2024 9:09 AM Bid #: 1385 Page 13

	Option	Type Option Description	Qty
425	0027341	Jog, In Reflective Stripe, Single or Multiple	1
		Qty, -1	
	0567374	Stripe, Black Outline each Chevron Stripe @ Rear (Not Warranted)	1
427	0669643	Stripe, Reflective, Inside Aluminum Rub Rail	4
		Color, Reflect Band - A - a) white	
428	0552453	Qty, - 04 Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
740	0002-00	Color, Reflect Band - A - r) red diamond grade	
		Size, Chevron Striping - 04	
		Color, Reflect Chev - A - t) fluorescent yellow green diamond grade	
429	0033179	Lettering Specifications, Reflective	1
430	0686158	Lettering, Reflective, 3.00", (61-80)	1
		Outline, Lettering - Outline	
431	0686042	Lettering, Reflective, 2.00", Each	18
		Qty, Lettering - 18	
400		Outline, Lettering - Outline	,
432	0686033	Lettering, Reflective, 4.00", Each	3
		Qty, Lettering - 03	
122	0686018	Outline, Lettering - Outline Lettering, Reflective, 5.00", Each	3
TUU	0000010	Qty, Lettering - 03	
		Outline, Lettering - Outline	
434	0685993	Lettering, Reflective, 10.00", Each	4
		Qty, Lettering - 04	
		Outline, Lettering - Outline	
435	0645076	Plate, Painted Alum. for Lettering/Numerals	•
		Location - The lettering on the license will be 4" gold reflexive to rear E	
		44.	
		Qty, -1	
436	0655896	Size - License plate size. Sign Kit, Painted, Holder and Insert, Each	3
700	0033030	Location - PS front cab face above directional lights and 2, one on each	•
		crew cab door per mark up L.S.P. drawing.	
		Qty, - 03	
		Size - PS cab face will be 8" tall while the crew cab doors will be 14" tall.	
437	0769753	Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
438	0772003	Manual, Fire Apparatus Parts, USB Flash Drive, Custom	2
		Qty, - 02	_
439	0772037	Manual, Chassis Service, USB Flash Drive, Custom	2
640	0772065	Qty, -02	1
	0030008	Manual, Chassis Operation, (2) USB Flash Drives, Custom Warranty, Basic, 1 Year, Apparatus, WA0008	1
	0696698	Warranty, Engine, Cummins, 5 Year, WA0181	1
	0684953	Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
	0596017	Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
	0595698	Warranty, Axle, 3 Year, TAK-4, WA0050	1
	0610485	Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor	1
_	0652758	Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	0019914	Warranty, Structure, 10 Year, Custom Cab, WA0012	1
	0744240	Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
450	0524627	Warranty, Electronics, 5 Year, MUX, WA0014	1
451	0695416	Warranty, Pierce Camera System, WA0188	1
452	0647720	Warranty, Pierce LED Strip Lights, WA0203	1
453	0046369	Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
454	0685945	Warranty, Transmission Cooler, WA0216	1
455	0688798	Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
456	0596025	Warranty, Structure, 10 Year, Body, WA0009	1
457	0690936	Warranty, Roll up Doors, Not Required	1
	0734463	Warranty, Pump, Waterous, 7 Year Parts, WA0382	1
459	0648675	Warranty, 10 Year S/S Pumbing, WA0035	1
460	0641372	Warranty, Foam System, Not Available	1
	OFOFOOD	Manuals Daine 40 Vana Dade Das Data MIXAGEZ	1
	0595820 0595412	Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1

Line	Option	Type	Option Description	Qty
463	0819254		Certification, Vehicle Stability, CD0196	1
464	0808582		Certification, Engine Installation, Saber FR/Enf, Cummins X10, 2027	1
465	0686786		Certification, Power Steering, CD0098	1
466	0892691		Certification, Cab Integrity, Saber FR/Enforcer, CD0189	1
467	0631973		Certification, Cab Door Durability, Saber FR/Enforcer, CD0137	1
468	0631978		Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132	1
469	0631974		Certification, Electric Window Durability, Saber FR/Enforcer, CD0133	1
470	0631977		Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134	1
471	0735949		Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175	1
472	0545073		Amp Draw Report, NFPA Current Edition	1
473	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
474	0799248		Appleton/Florida BTO	1
475	0000018		PUMPER, 2ND GEN	1
476	0000012		PIERCE CHASSIS	1
477	0004713		ENGINE, OTHER	1
478	0046395		EVS 3000 Series TRANSMISSION	1
479	0020011		WATEROUS PUMP	1
480	0020009		POLY TANK	1
481	0028047		NO FOAM SYSTEM	1
482	0020006		SIDE CONTROL	1
483	0020007		AKRON VALVES	1
484	0020014		FRONT SUCTION	1
485	0020015		ABS SYSTEM	1
486	0658751		PUMPER BASE	1

11/18/2024 9:09 AM Bid #: 1385



EXHIBIT C - PROPOSAL

SEE PROPOSAL FOR Bid Number 1385 Dated November 18, 2024.					
•					
161					







EM-102

November 18, 2024

Tom Ellis, Operations Superintendent Village of Lombard 255 E Wilson Ave Lombard, IL 60148

Subject: Proposal for one (1) Pierce Enforcer Pumper

Proposal / Bid 1385

Dear Tom Ellis, Operations Superintendent,

With regard to the above subject, please find attached our completed proposal.

Pricing Summary:

Sale Price - \$1,179,000.00*

*Houston-Galveston Area Council (HGAC) Consortium Pricing.

100% Performance Bond:

Should the Village of Lombard elect to have us provide a Performance Bond, \$2,983.00 will need to be added to the above sale price.

Terms and Conditions:

Taxes – Not Applicable

Freight – F.O.B. – Appleton, WI / Shipping to Lombard, IL

Terms – Net due prior to vehicle(s) release at the Pierce Manufacturing Plant

(Appleton, WI).

Delivery* – 33 – 36 months from receipt and acceptance of contract.

*Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.





ILLINOIS INDIANA MINNESOTA MISSOURI NEBRASKA NORTH DAKOTA SOUTH DAKOTA

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid for thirty (30) days.

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 630-303-8776 or john.kenna@macqueengroup.com.

We wish to thank the Village of Lombard for the opportunity to submit our proposal.

Respectfully,

John Kenna

John Kenna Apparatus Sales MacQueen Equipment LLC DBA MacQueen Emergency Group