### 250048 DISTRICT - ALL

# VILLAGE OF LOMBARD REQUEST FOR BOARD OF TRUSTEES ACTION

For Inclusion on Board Agenda Bids and Proposals

TO :	President and Village Board of Trus	tees	
FROM:	Scott R. Niehaus, Village Manager		
DATE :	January 14, 2025 Agenda Date Janu		
TITLE :	Bid Opening For: 1 tandem axle du	ımp truck and 1 t	andem axle salt trucl
SUBMITTED BY:	Robert Lamontagna, Street and Elec	trical Supervisor	
RESULTS:			
Date Bids Were Pul	blished		
Bidding Closed			
Total Number of Bi	ds Received		
	dders Meeting Specifications		
Bid Security Requir		es X	_No
Performance Bond		es X	_No
Were Any Bids Wit		es X	_No
Explanation:			
Waiver of Bids Req	ruested? X Y	es	_No
	ourban Purchasing Cooperative #0328	324 and NPPGov	#PS22170
Award Recommend			_No
Responsible Bidder			
If no, explain:			
FISCAL IMPACT:			
	e/budget estimate \$605,000		
Amount of Award			
BACKGROUND/I	RECOMMENDATION:		
	f Trustees approval to award a contra	ct to TransChicag	go of Elmhurst (IL)
	Products Inc. of Huntley (IL) for two		
	ent for snow and ice removal and mat		
Has Recommended	l Bidder Worked for Village Previous	lv Yes X	No
If yes, was quality o		Yes _	
REVIEW (as neede	d):		
	X	Date	
	X		
	X		

NOTE: All materials must be submitted to and approved by the Village Manager's Office by 4:30 pm, Wednesday, prior to the Board Agenda distribution.



To: Scott R. Niehaus, Village Manager

Through: Carl S. Goldsmith, Director of Public Works

From: Robert LaMontagna, Street and Electrical Supervisor

Date: January 14, 2025

Subject: FY25/26 Vehicle Replacement, tandem axle salt truck and dump truck

The FY25/26 vehicle replacement schedule includes replacement of two tandem axle trucks in the Public Works fleet. One form the Street Department, a 2016 Peterbilt slated for replacement in 2026. The other is from the Water Department, a 2013 international slated for replacement in 2025. Over the past 4 years these vehicle chassis and upfit have experienced very long lead times, over 2 years in some instances. The Village is still waiting on delivery of two other salt trucks, one of which was ordered in May of 2022. These problems persist with one of the major delays now being a backlog of chassis that have been delivered to the equipment upfitters. Given these challenges, Public Works has continued to explore all options to source vehicles to replace our aging ones that are due for replacement.

After researching and having discussions with several vehicle manufacturers and equipment upfitters, it has been determined that a Freightliner chassis and Henderson equipment upfit best fulfills the Village's need to replace the salt and dump truck due for replacement. The estimated lead time for delivery would be late in the fourth quarter of 2025. This will be our best option to keep both these vehicles as close to their replacement schedules as we can. Both the chassis and equipment are available through joint bid purchasing consortiums. The total price will be \$302,258 for the salt truck, and \$239,063 for the dump truck. Both are below the budgeted amount for replacement. Water Department truck WT347(vin # 1HTWGAZT9DH416745) and Street Department truck ST345 (vin # 2NP3LJ0X9GM352166) will be declared surplus and disposed of in the most advantageous manner to the Village.

Staff recommends the Board of Trustees waive the competitive process and award two contracts for the purchase of 2 tandem axle chassis and upfit of salt and dump body equipment in the total amount of \$541,321. One contract to TransChicago of Elmhurst (IL) for the purchase of two Freightliner 108SD tandem axle chassis available for purchase through Sourcewell contract #032824 in the amount of \$247,966. The second contract to Henderson Products Inc. of Huntley (IL) for equipment and installation to upfit a salt and dump truck available for purchase thought NPPGov (National Purchasing Partners) contract # PS22170 in the amount of \$293,335. Please submit this item to the Village Board for their consideration at the January 23, 2025 meeting.

### ORDINANCE \_\_\_\_

## ORDINANCE AUTHORIZING THE SALE AND/OR DISPOSAL OF MUNICIPAL OWNED PERSONAL PROPERTY

WHEREAS, in the opinion of the Corporate Authorities of the Village of Lombard, it is no longer necessary or useful to or in the best interest for the Village of Lombard to retain the following described personal property:

Unit # ST345 (vin # 2NP3LJ0X9GM352166) a 2016 Peterbilt tandem axle salt truck Unit # WT347(vin # 1HTWGAZT9DH416745) a 2013 International tandem axle dump truck

now owned by the Village of Lombard; and

**WHEREAS,** The Village routinely declares such type of personal property surplus and the best interest of the Village of Lombard will be served by its sale and/or disposal.

NOW, THEREFORE, BE IT ORDAINED BY THE PRESIDENT AND BOARD OF TRUSTEES OF THE VILLAGE OF LOMBARD, DU PAGE COUNTY, ILLINOIS, as follows:

Section 1: Pursuant to 65 ILCS 5/11-76-4, the President and Board of Trustees find the following described property:

Unit # ST345 (vin # 2NP3LJ0X9GM352166) a 2016 Peterbilt tandem axle salt truck Unit # WT347(vin # 1HTWGAZT9DH416745) a 2013 International tandem axle dump truck

now owned by the Village of Lombard is no longer necessary or useful to the Village of Lombard and the best interest of Lombard will be served by its sale/trade

Section 2: Pursuant to said 65 ILCS 5/11-76-4, the Village President and Clerk are hereby authorized and directed to sell and/or dispose of the aforementioned personal property now owned by the Village of Lombard.

Section 3: This ordinance shall be in full force and effect from and after its adoption and approval as provided by law.

Passed on first reading this	_day of	, 2023
First reading waived by action of	the Board of Trustees this day of	, 2023
Passed on second reading this	day of	, 2023
Ayes:		

Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

### SPECIFICATION PROPOSAL

5	Data Code	Description	Weight Front	Weight Rear	Retail Price
Vehicle	Configuration	on			
	001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	\$134,782.00
	004-226	2026 MODEL YEAR SPECIFIED			STD
	002-004	SET BACK AXLE - TRUCK			STD
	019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	\$1,025.00
	003-001	LH PRIMARY STEERING LOCATION			STD
General	Service				
	AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			STD
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
	AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	995-1AE	FREIGHTLINER LEVEL II WARRANTY			N/C
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			



Đa	ata Code	Description	Weight Front	Weight Rear	Retail Price
A6	63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
Α7	70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck Sen	vice				
A.A	A3-018	FRONT PLOW/END DUMP BODY			N/C
A8	89-99D	BRAKING-EXPECTED CAB TO BODY CLEARANCE: 15.0 in			
AF	3-142	MONROE TRUCK EQUIPMENT			N/C
Tractor Se	ervice				
A.A	\2-005	FLATBED TRAILER			N/C
AH	H6-001	SINGLE (1) TRAILER			N/C
Engine					
10	1-3BP	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM			\$3,055.00
Electronic	Paramet	ers			
79	A-065	65 MPH ROAD SPEED LIMIT			N/C
79	B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79	K-033	PTO MODE ENGINE RPM LIMIT - 950 RPM			N/C
79	P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			N/C
79	U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			N/C
79'	V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79	W-025	CRUISE CONTROL BUTTON PTO CONTROL AND ONE REMOTE PTO SPEED			N/C
79	X-005	PTO SPEED 1 SETTING - 900 RPM			N/C
80	G-002	PTO MINIMUM RPM - 700			N/C
80	S-021	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE BEFORE DRIVING INTERLOCKS			N/C
80'	V-100	PTO MODE SPEED CONTROL ACTIVATION REQUEST FOR REMOTE ENGINE INTERFACE			N/C
Engine Eq	uipment				
990	C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
131	E-001	STANDARD OIL PAN			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
105-015	OIL FILL AND DIPSTICK LOCATED FOR ENHANCED SERVICEABILITY			\$83.00
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$562.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			\$18.00
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		\$206.00
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4		\$105.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$816.00
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			N/C
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$3.00)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10	N/C
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			(\$17.00)
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			\$48.00
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			STD
266-104	1115 SQUARE INCH ALUMINUM RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		\$487.00
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$92.00
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			\$6.00
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			STD
<b>Transmission Equip</b>	ment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-017	S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-016	S5 PERFORMANCE LIMITING SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-009	1800 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-009	1800 RPM SECONDARY MODE SHIFT SPEED			N/C
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			STD
84N-011	NEUTRAL AT STOP ENABLED			\$420.00
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
85E-009	MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 900 RPM			N/C
85F-042	MAXIMUM ENGINE SPEED FOR PTO OPERATION 2400 RPM			N/C
85G-009	MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 250 RPM			N/C
85H-159	MAXIMUM OUTPUT SPEED FOR PTO OPERATION 4000 RPM - ALLISON 5TH GEN TRANSMISSIONS			N/C
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP			\$200.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$125.00
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO			N/C
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			\$254.00
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			STD
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15		STD
346-013	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP			\$61.00
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
Front Axle and Eq	uipment			
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		\$3,436.00
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	30		\$878.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-004	FRONT DISC BRAKE ROTORS			N/C
427-001	FRONT BRAKE DUST SHIELDS	5		\$354.00
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			N/C
406-001	STANDARD KING PIN BUSHINGS			STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		N/C
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR			N/C
533-001	OIL/AIR POWER STEERING COOLER			N/C
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00
<b>Front Suspension</b>				
620-025	20,000# TAPERLEAF FRONT SUSPENSION	200		\$1,507.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		\$79.00
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equ	ipment			
420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		2,500	\$10,486.00

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100


Data Code	Description	Weight Front	Weight Rear	Retail Price
421-614	6.14 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	\$102.00
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	\$466.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			N/C
452-005	DRIVER CONTROLLED TRACTION DIFFERENTIAL - REAR MOST TANDEM/TRIDEM REAR AXLE		20	\$733.00
878-021	(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR-REAR AXLE VALVE			N/C
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			N/C
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH			N/C
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-60	\$2,172.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-003	STANDARD BRAKE CHAMBER LOCATION			N/C
451-005	REAR DISC BRAKE ROTORS			N/C
425-002	REAR BRAKE DUST SHIELDS		10	\$180.00
440-006	REAR OIL SEALS			STD
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20	N/C
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			N/C
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
622-311	HENDRICKSON HAULMAAX EX 40,000# REAR SUSPENSION		50	\$6,846.00
621-1AP	HENDRICKSON HAULMAAX/ULTIMAAX - 10.50" RIDE HEIGHT			N/C
624-009	54 INCH AXLE SPACING			N/C
628-010	HENDRICKSON HN, HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN			N/C
623-016	STANDARD DUTY FORE/AFT AND HEAVY DUTY TRANSVERSE CONTROL RODS			N/C
625-008	DOUBLE REBOUND STRAP - INBOARD AND OUTBOARD		13	\$100.00

FREIGHTLINER



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
Pusher / Tag Equipr	ment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System		State 1		1000
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-019	ALUMINUM AIR BRAKE RESERVOIRS MOUNTED INSIDE RAILS			\$258.00
477-008	BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK, PETCOCKS ALL OTHERS			\$86.00
<b>Trailer Connections</b>				
481-998	NO TRAILER AIR HOSE			STD
476-998	NO AIR HOSE HANGER			STD
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
310-998	NO TRAILER ELECTRICAL CABLE			STD
Wheelbase & Frame				
545-475	4750MM (187 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	320	140	\$1,950.00
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			N/C
552-037	1775MM (70 INCH) REAR FRAME OVERHANG			N/C



PLOW



CONTRACT#: 032824-DAI

Application Version 12.0.105

Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM

**PLOW** 

Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

01/14/2025 1:05 PM

Page 9 of 20

Data Code	Description	Weight Front	Weight Rear	Retail Price
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	\$4.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 121.46 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 106.46 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 322.07 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 57.7 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 66.34 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE: 0.0 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		\$50.00
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
<b>Chassis Equipment</b>				
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$80.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fifth Wheel				
578-998	NO FIFTH WHEEL			STD
Fuel Tanks				
204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	5		\$107.00
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-004	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			\$196.00
212-007	FUEL TANK(S) FORWARD			STD

FREIGHTLINER

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	664-001	PLAIN STEP FINISH			STD
	205-002	CHROME FUEL TANK CAP(S)			\$13.00
	122-1H8	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	5		\$313.00
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
	093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		\$896.00
	094-1YV	CONTINENTAL INTELLIGENT HDC3 11R22,5 16 PLY RADIAL REAR TIRES		192	\$1,120.00
Hubs		The state of the s			
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels	3				
	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		\$216.00
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		104	STD
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Ex	terior		J. WELL		THE RESERVE
	829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	650-008	AIR CAB MOUNTING			STD
	705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2		\$87.00
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
	667-037	SHORT FENDER WITH MUDFLAP			\$141.00
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		\$115.00
	678-067	SAFETY YELLOW LH AND RH INTERIOR GRAB HANDLES AND LH AND RH EXTERIOR GRAB			\$80.00
		HANDLES WITH SINGLE RUBBER INSERT			



CONTRACT#: 032824-DAI

Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Weight

Weight

Data Code	Description	Front	Rear	Retail Price
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			\$88.00
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$15.00
644-006	FIBERGLASS HOOD WITH ACCESS HATCHES	10		\$682.00
652-001	FREIGHTLINER NAME PLATES			STD
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		\$117.00
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			(\$23.00)
726-002	DUAL ELECTRIC HORNS			\$14.00
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS			\$76.00
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			N/C
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			\$162.00
311-001	DAYTIME RUNNING LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			\$250.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
764-018	AERO BRIGHT EXTERIOR SUN VISOR	10		\$579.00
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS			STD
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			\$423.00
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
647-001	WHITE WINTERFRONT	2		\$60.00
Cab Interior		100	1122 4	- 1 - 3 - 3
055-019	RUGGED TRIM PACKAGE			STD
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			STD
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-025	(1) 12V DASH MOUNTED POWER OUTLET			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-029	M2/SD DASH			STD
720-003	5 LB. FIRE EXTINGUISHER	10		\$60.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			\$31.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			\$16.00
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-034	PREMIUM INSULATION			\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B3	STANDARD LED CAB LIGHTING			STD
787-998	NO SECURITY DEVICE			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-004	KEY QUANTITY OF 4			\$18.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			STD
740-998	NO MATTRESS	-20	-15	STD

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		\$24.00
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		\$414.00
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			STD
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		\$69.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			(\$76.00)
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			(\$70.00)
763-102	HIGH VISIBILITY ORANGE SEAT BELTS			\$26.00
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			(\$124.00)
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Con	trols			
106-002	ELECTRONIC ACCELERATOR CONTROL			STD
732-998	NO INSTRUMENT PANEL-DRIVER			STD
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			STD
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE			\$67.00
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$12.00
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3	\$77.00
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



Data Code	Description	Weight Front	Weight Rear	Retail Price
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			\$79.00
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			N/C
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM			(\$32.00)
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			(\$1,019.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
72K-998	NO REVERSE PROXIMITY SENSOR			STD
679-998	NO OVERHEAD INSTRUMENT PANEL			STD
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		\$735.00
1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE			\$32.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD



Data Cod	e Description	Weight Front	Weight Rear	Retail Price
747-001	DASH MOUNTED RADIO			STD
750-002	(2) RADIO SPEAKERS IN CAB			STD
753-998	NO AM/FM RADIO ANTENNA			STD
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			N/C
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			N/C
75W-002	SHARKFIN MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS			STD
78C-003	INTEROPERABLE SDAR ANTENNA			STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			STD
8DE-998	NO ASE DATA SVCE EXTENSION			STD
6TS-009	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL (1) CENTER OF BACKWALL/PASSENGER SIDE BAGGAGE COMPARTMENT			\$45.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
329-133	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT			\$150.00
4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
4C2-005	HARDWIRE SWITCH #2,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
4C3-005	HARDWIRE SWITCH #3,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
4C4-005	HARDWIRE SWITCH #4,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			\$43.00
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			STD
482-001	BW TRACTOR PROTECTION VALVE			N/C





Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			N/C
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD
	87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			STD
Design					1 1 3 4
	065-000	PAINT: ONE SOLID COLOR			STD
Color	in the same of				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	964-6 <b>Z</b> 7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			N/C
	963-003	STANDARD E COAT/UNDERCOATING			STD
Certifica	ation / Comp	pliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Second	ary Factory	Options			
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY			N/C
	999-999	SOURCEWELL DEALER PROGRAM			N/C



TOTAL VEHICLE SUMMARY





Prepared for: ROB LAMONTAGNA LOMBARD VILLAGE OF 255 EAST WILSON AVE LOMBARD, IL 60148 Phone: 630-995-1034 MEMBER #: 20414

DAIMLER SOURCEWELL CONTRACT#: 032824-DAI

Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

### **Adjusted List Price**

Adjusted List Price \*\* \$173,661.00

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight <sup>+</sup>	8272 lbs	6790 lbs	15062 lbs
Total Weight <sup>+</sup>	8272 lbs	6790 lbs	15062 lbs

### ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

### **Other Factory Charges**

PMV-024	GHG24 SURCHARGE - CUMMINS	\$555.00
PCA-005	SOURCEWELL DEALER CHARGE	\$800.00
RD1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BYDETROIT CONNECT ON CUMMINS ENGINES	STD
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
R26-001	MY26 ESCALATOR	\$3,750.00
P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00

### **Extended Warranty**

WAG-075 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING \$460.00 COVERAGE \$750 CAP FEX APPLIES

Currency Exchange Rate 1.0000
Total Extended Warranty (Local Currency) \$460.00



- (+) Weights shown are estimates only.

  If weight is critical, contact Customer Application Engineering.
- (\*\*) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.
- (\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

### QUOTATION

### 108SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR **AXLE** 

HENDRICKSON HAULMAAX EX 40,000# REAR SUSPENSION

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

20,000# TAPERLEAF FRONT SUSPENSION

108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4750MM (187 INCH) WHEELBASE

NO FIFTH WHEEL

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1775MM (70 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT

			PER UNIT	TOTAL
VEHICLE PRICE T	OTAL # OF UNITS (2)	\$	123,523	\$ 247,046
EXTENDED WARRANTY	` '	\$	460	\$ 920
DEALER INSTALLED OPTIONS		\$	0	\$ 0
CUSTOMER PRICE BEFORE TAX	and a social contract of the filter and an experimental contract of the filter of the	\$	123,983	\$ 247,966
TAXES AND FEES	32 1 1 1 33 1	THE P		7 7 - 07
TAXES AND FEES		\$	0	\$ 0
OTHER CHARGES		\$	0	\$ 0
TRADE-IN	CONTRACTOR N		100	Market Co.
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE	(LOCAL CURRENCY)	\$	123,983	\$ 247,966
COMMENTS:				
Projected delivery on// provided the order	er is received before _	_//	·	
APPROVAL:				
Please indicate your acceptance of this quotation by si	anina below:			
,				
Customer: X	/ Date:/	_/		



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

### Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <a href="www.daimler-truckfinancial.com">www.daimler-truckfinancial.com</a>.





PRODUCTS, INC.

CUSTOMER QUOTE

Page 1

Quote #186515

Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142

PHONE: 847-836-4996 FAX: 563-927-7108

Quoted By: Chris Fack

Email: cfack@hendersonproducts.com

Phone: 847-836-4996 Cell: 847-754-5035

Fax: 563-927-7108

To: Village of Lombard

Attn:

Quote Date: 1/14/2025 Valid Until: 4/14/2025 NPPGov Contract# PS22170 NPPGov #: PLACEHOLDER

Ouoted:

2025 Water Dept Dump Plow with Anti-Ice Valve

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders

Plow Portion Hitch: Plow portion picked under plow Hitch, Truck Portion: Quick hitch, low profile, 30.5"

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder

Custom Options: No Custom Options Required

### Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Orange Poly Moldboard, all other gloss black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes 36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Hitch, Plow Portion: Quick hitch Plow portion hitch width: 30.5" Plow Portion Installed on Plow: Yes

Custom Option Fields: Note Custom Details Below

Option 1 Description: 118589 WINTER CUTTING EDGE 4ft. X 2 Option 2 Description: 118590 WINTER CUTTING EDGE 3ft.

### HPI MarkE

COUNTRY/LANGUAGE: USA/ENGLISH









### HENDERSON CUSTOMER QUOTE

PRODUCTS, INC.

Page 2 Quote #186515 Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 14' FLOOR LENGTH SIDE HEIGHT: 44" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET

SIDE BRACES: (1) 7GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INTERNAL DH, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY\*

HYDRAULIC LINES: 1/2" SS HYDRAULIC LINES DS LONGSILL

HOIST MOUNT TYPE: STANDARD WIDTH CRADLE

INSTALL HOIST & CRADLE: FACTORY INSTALLED H&C

LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET

TAILGATE BRACE: 3 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT

TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD

CABSHIELD MATERIAL: 201SS, 7GA PANEL, 7GA ENDS

CABSHIELD LIGHTING: CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC

ASPHALT LIP: 12" PIN-ON 7GA 201 ASP LIP, INSTALL

SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, FIXED UPR

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

WALK RAILS: 2" DRVR & CURB WALK RAIL

TARP RAILS: 3/4 INCH ROUND, 304SS TARP RAIL

TGS/ASPHALT LIP MOUNT HOLES: MNT HOLES IN APRON AND BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

#### Installation Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Hitch Type: Low Profile or Manual Tilt Type Hitch Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Quick HCH Low Pro/MT Ck Plt Kit (No Wng, 34"w Full

Frame)









PRODUCTS, INC.

CUSTOMER QUOTE
Page 3

Page 3 Quote #186515 Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996

FAX: 563-927-7108

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Tandem Axle Floor Length: 14ft Floor Length

Hoist Type: Tele Trunnion Hoist, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: Factory supplied electric over air valve release
Pressure Protection Valve: Direct to air tank valve (All except Int, Mack &

Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supplied/Installed @ Factory (sales to order w/ unit)

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)
Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Tarp Brand: US Tarp (order 86" c/s if using integral shield)

Tarp System: Electric Tarp, Bullet Proof Arms, w/o Wind Deflector

Tarp Material: Black Vinyl (Asphalt rated)
Tarp Length: 13.5'-15' Body Length (BV, US)

Body Install Options 1: TARP WILL NEED ASPHALT FLAPS

#### Body Spec Notes:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Body Mounted w/Logo

Mudflap Type (Front): Body Mounted Rubber, SS, w/ anti-sail brackets W/ LOGO

Pintle Hook: 2" Combination, 10 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Power Distribution Panel: Power Distribution Panel

Plow Lights: Plow Lts, ABL, Heated

Plow Light Brackets: Plow Lt Brckts, SS, PETERBILT 348, Pair Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes)

OEM Light Remount: Remount OEM Chassis Lights









PRODUCTS, INC.

**CUSTOMER QUOTE** Page 4 Quote #186515 Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body)

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Back up alarm: Backup Alarm, 97db

Body up switch/light: Body UP Switch/Body Up Light (Trucklite) Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 14' Backbone (For TA)

Camera: MS Foster

Camera Kit: Camera Sys, 7" Monitor, 1 Camera w/wash & Exten Cble IDC Light Package: 72" Justice (ILDOT) w/2 wk lites, Short Risers

Pavement Temp Sensor: Roadwatch kit w/ stand alone display

#### Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Force America (Select Pkg Below)

Hyd Supplier (Spec): QT001-2009673-1

Controls Type: Cable Controls

Cable Qty: 3 Functions

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics

Low Oil Indicator: Yes, IDC Supplied

Quick Coupler Upgrade: Standard Quick Couplers

### Hydraulics Notes:

CENTRAL HYDRAULICS TO RUN PLOW HOIST ANTT-TCE INCLUDES FORCE AMERICA 5100 CONTROLLER TO CONTROL ANTI-ICING

Original package price: \$127,510.00

Total package w/applicable NPPGov discount: \$114,536.00

Freight: \$545.00 Package(s): 1 Total: \$115,080.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com.









PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996

FAX: 563-927-7108

**CUSTOMER QUOTE** 

Page 5 Quote #186515 Rev #25

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed:	 Date:

#### Quote notes:

Henderson offers a deposit program with additional discounts. Please contact your Henderson sales representative for more details.

All Terms and Conditions Apply. Terms of Sale Document available at: http://www.hendersonproducts.com/assets/Terms of Sale.pdf









PRODUCTS, INC.

CUSTOMER QUOTE

Page 1

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

To: Village of Lombard

Attn:

Quote Date: 1/14/2025 Valid Until: 4/14/2025 NPPGov Contract# PS22170 NPPGov #: PLACEHOLDER

Quoted:

2025 Lombard Snow and Ice Truck

Quoted By: Chris Fack Phone: 847-836-4996 Cell: 847-754-5035 Fax: 563-927-7108

Email: cfack@hendersonproducts.com

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

#### Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders
Plow Portion Hitch: Plow portion picked under plow
Hitch, Truck Portion: Quick hitch, low profile, 30.5"
Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder
Holding Valve for Lift Cylinder: Holding Valve For Lift Cylinder (shipped loose)
Custom Options: No Custom Options Required

#### Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Orange Poly Moldboard, all other gloss black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes
36" Plastic Side Markers, Pair: Yes
Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Hitch, Plow Portion: Quick hitch Plow portion hitch width: 30.5" Plow Portion Installed on Plow: Yes

Custom Option Fields: Note Custom Details Below

Option 1 Description: 118589 WINTER CUTTING EDGE 4ft. X 2 Option 2 Description: 118590 WINTER CUTTING EDGE 3ft.

#### HPI MarkE









PRODUCTS, INC.

Page 2 Quote #187695 Rev #46

**CUSTOMER QUOTE** 

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

COUNTRY/LANGUAGE: USA/ENGLISH

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 14' FLOOR LENGTH SIDE HEIGHT: 44" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET

SIDE BRACES: (1) 7GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INTERNAL DH, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY\*

HYDRAULIC LINES: 1/2" SS HYDRAULIC LINES DS LONGSILL

HOIST MOUNT TYPE: STANDARD WIDTH CRADLE

INSTALL HOIST & CRADLE: FACTORY INSTALLED H&C

LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE
TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET

TAILGATE BRACE: 3 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT

TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON,22"x86", W/ TARP SHROUD

CABSHIELD MATERIAL: 201SS, 7GA PANEL, 7GA ENDS

CABSHIELD LIGHTING: CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC

ASPHALT LIP: 12" PIN-ON 7GA 201 ASP LIP, INSTALL

SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, FIXED UPR

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

WALK RAILS: 2" DRVR & CURB WALK RAIL

TARP RAILS: 3/4 INCH ROUND, 304SS TARP RAIL

VIBRATOR LOCATION: VIBRATOR PAD BETWEEN LONGSILLS

TGS/ASPHALT LIP MOUNT HOLES: MNT HOLES IN APRON AND BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

### FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader

Hopper length: 14'

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 50" (7.9 CY) w/ formed chain shields standard

Conveyor: Single 7" dia. auger Gearcase: 3.6:1 planetary gearcase









PRODUCTS, INC.

CUSTOMER QUOTE

Page 3

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Chute type: Standard Dump Over Chute Same Material as Hopper

Spinner disk: Standard disk with Stainless Vanes

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory
Hold down kits: Dump body kit w/ rachet straps

Cabshields: 58" to 62" cab height, 201SS (Installed)

Ladders: Rear mount, 304SS (loose "SL")

Rear bumper: Rear bumper (mild steel), shipped loose Rubber side shields: Rubber side shields (loose "SL")

Metal spill shields: Front metal spill shields, 304SS (loose "SL") Extended front idler grease tubes: Extended front idler grease tubes

Body Guides: Body Guides (loose "SL")

Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL")
Install Henderson pre-wet system: Install Henderson pre-wet system

Conveyor speed sensor: Conveyor speed sensor Option 1 Description: 14ft. SS Steel Leg Stand

#### PWS liquid pre-wetting system

Power Source: Hydrualic Powered Pump

Application: V-box spreader

Product Size: Full Size V-Box 14FT Long or Longer

Control Box: No Valve, Hydraulic Powered Pump and Flow Meter

Pump: Standard 4.1 GPM Bronze Gear Pump

Tank Size: (2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing

Spray Assembly: Std Variable Displacement Nozzle Assembly

Prewet Installed: Installation on FSH

Mounting Hardware: 304SS frame mount hardware for FSH

Flush Kit: System flush kit

#### Installation Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Hitch Type: Low Profile or Manual Tilt Type Hitch Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Quick HCH Low Pro/MT Ck Plt Kit (No Wng, 34"w Full

Frame)

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit









PRODUCTS, INC.

CUSTOMER QUOTE

Page 4

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Tandem Axle Floor Length: 14ft Floor Length

Hoist Type: Tele Trunnion Hoist, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: Factory supplied electric over air valve release
Pressure Protection Valve: Direct to air tank valve (All except Int, Mack &

Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supplied/Installed @ Factory (sales to order w/ unit)

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Tarp Brand: US Tarp (order 86" c/s if using integral shield)

 ${\tt Tarp\ System:\ Electric\ Tarp,\ Bullet\ Proof\ Arms,\ w/o\ Wind\ Deflector}$ 

Tarp Material: Black Vinyl (Asphalt rated)
Tarp Length: 13.5'-15' Body Length (BV, US)

#### Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps) Ladder: Factory supplied, installed @ IDC (sales to order with unit)

FSH Spinner Configuration: Standard Spinner install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Prewet/Liquid System: V-box Prewet System

System Type: FSH

Drive Configuration: Hydraulic Drive, Vendor Supplied (sales to quote w/ hyd)

Controls: Supplied by IDC (sales to order w/ hyd cntrls)

Flush Kit: Supplied by factory, Installed @ IDC (sales to order w/unit)

#### Liquid Details:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Body Mounted w/Logo

Mudflap Type (Front): Body Mounted Rubber, SS, w/ anti-sail brackets W/ LOGO

Pintle Hook: 2" Combination, 10 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)









PRODUCTS. INC.

CUSTOMER QUOTE

Page 5

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Power Distribution Panel: Power Distribution Panel

Plow Lights: Plow Lts, ABL, Heated

Plow Light Brackets: Plow Lt Brckts, SS, PETERBILT 348, Pair

Worklight(s) QTY: (QTY 2) Work Lights (Select type below)
Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: Rear Spinner

Worklight (2) Type: LED, Worklight, 4in Round (Optilux)

Worklight (2) Gen Location: On rear of body

Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes)

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster (Back-up): **B/U Lights, LED, Clear, Oval, pair (Order holes with body)** 

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Back up alarm: Backup Alarm, 97db

Body up switch/light: Body UP Switch/Body Up Light (Trucklite)
Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 14' Backbone (For TA)

Camera: MS Foster

Camera Kit: Camera Sys, 7" Monitor, 1 Camera w/wash & Exten Cble IDC Light Package: 72" Justice (ILDOT) w/2 wk lites, Short Risers

Pavement Temp Sensor: Roadwatch kit w/ stand alone display

### Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Force America (Select Pkg Below)

Hyd Supplier (Spec): QT001-2009765-1

Controls Type: Cable Controls

Cable Qty: 3 Functions

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics

Low Oil Indicator: Yes, IDC Supplied

SS Tubing Upgrade: TA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers

#### Hydraulics Notes:









**CUSTOMER QUOTE** 

Page 6

PRODUCTS, INC.

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

FORCE AMERICA 5100 EX SPREADER CONTROLLER
CENTRAL HYDRAULICS TO RUN
PLOW
HOIST
AUGER
SPINNER
PREWET
CLOSED LOOP SYSTEM
Force America VT35 -OIL/VALVE ENCLOSURE STAINLESS STEEL

Original package price: \$201,922.00

Total package w/applicable NPPGov discount: \$177,497.00

Freight: \$779.00 Package(s): 1 Total: \$178,275.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com.

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed:	Date:
_	1)

### Quote notes:

Henderson offers a deposit program with additional discounts. Please contact your Henderson sales representative for more details.

All Terms and Conditions Apply. Terms of Sale Document available at: http://www.hendersonproducts.com/assets/Terms\_of\_Sale.pdf





