
Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Vehicle Configurat	tion			
001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	\$134,782.00
004-226	2026 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	\$1,025.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1AE	FREIGHTLINER LEVEL II WARRANTY			N/C
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			



PLOW



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Data Code	e Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			N/C
A89-99D	BRAKING-EXPECTED CAB TO BODY CLEARANCE: 15.0 in			
AF3-142	MONROE TRUCK EQUIPMENT			N/C
Tractor Service				
AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C
Engine				
101-3BP	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM			\$3,055.00
Electronic Paran	neters			
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-033	PTO MODE ENGINE RPM LIMIT - 950 RPM			N/C
79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			N/C
79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79W-025	CRUISE CONTROL BUTTON PTO CONTROL AND ONE REMOTE PTO SPEED			N/C
79X-005	PTO SPEED 1 SETTING - 900 RPM			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80S-021	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE BEFORE DRIVING INTERLOCKS			N/C
80V-100	PTO MODE SPEED CONTROL ACTIVATION REQUEST FOR REMOTE ENGINE INTERFACE			N/C
Engine Equipme	nt	P 30		1771
99C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
13E-001	STANDARD OIL PAN			STD



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
105-015	OIL FILL AND DIPSTICK LOCATED FOR ENHANCED SERVICEABILITY			\$83.00
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$562.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			\$18.00
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		\$206.00
295-003	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART CHASSIS MOUNTED LH BACK OF CAB	4		\$105.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$816.00
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			N/C
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$3.00)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10	N/C
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			(\$17.00)
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			\$48.00
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			STD
266-104	1115 SQUARE INCH ALUMINUM RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		\$487.00
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$92.00
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			\$6.00
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			STD
Transmission Equip	ment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-017	S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-016	S5 PERFORMANCE LIMITING SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-009	1800 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-009	1800 RPM SECONDARY MODE SHIFT SPEED			N/C
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			STD
84N-011	NEUTRAL AT STOP ENABLED			\$420.00
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
85E-009	MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 900 RPM			N/C
85F-042	MAXIMUM ENGINE SPEED FOR PTO OPERATION 2400 RPM			N/C
85G-009	MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 250 RPM			N/C
85H-159	MAXIMUM OUTPUT SPEED FOR PTO OPERATION 4000 RPM - ALLISON 5TH GEN TRANSMISSIONS			N/C
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP			\$200.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$125.00
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO			N/C
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			\$254.00
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			STE
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15		STE
346-013	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP			\$61.00
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STE
Front Axle and Equ	ipment		- Charles	
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		\$3,436.00
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	30		\$878.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-004	FRONT DISC BRAKE ROTORS			N/C
427-001	FRONT BRAKE DUST SHIELDS	5		\$354.00
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			N/C
406-001	STANDARD KING PIN BUSHINGS			STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		N/C
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR			N/C
533-001	OIL/AIR POWER STEERING COOLER			N/C
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00
Front Suspension				
620-025	20,000# TAPERLEAF FRONT SUSPENSION	200		\$1,507.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		\$79.00
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equi	pment	листикого под серова на		
420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		2,500	\$10,486.00

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



01/14/2025 1:05 PM

Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Data Cod	e Description	Weight Front	Weight Rear	Retail Price
421-614	6.14 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	\$102.00
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	\$466.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			N/C
452-005	DRIVER CONTROLLED TRACTION DIFFERENTIAL - REAR MOST TANDEM/TRIDEM REAR AXLE		20	\$733.00
878-021	(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR-REAR AXLE VALVE			N/C
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			N/C
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH			N/C
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-60	\$2,172.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-003	STANDARD BRAKE CHAMBER LOCATION			N/C
451-005	REAR DISC BRAKE ROTORS			N/C
425-002	REAR BRAKE DUST SHIELDS		10	\$180.00
440-006	REAR OIL SEALS			STD
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20	N/C
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			N/C
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
622-311	HENDRICKSON HAULMAAX EX 40,000# REAR SUSPENSION		50	\$6,846.00
621-1AP	HENDRICKSON HAULMAAX/ULTIMAAX - 10.50" RIDE HEIGHT			N/C
624-009	54 INCH AXLE SPACING			N/C
628-010	HENDRICKSON HN, HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN			N/C
623-016	STANDARD DUTY FORE/AFT AND HEAVY DUTY TRANSVERSE CONTROL RODS			N/C
625-008	DOUBLE REBOUND STRAP - INBOARD AND OUTBOARD		13	\$100.00

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



01/14/2025 1:05 PM

Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
Pusher / Tag Equip	oment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System	THE RESERVE OF THE PARTY OF THE	11-11-11		
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-019	ALUMINUM AIR BRAKE RESERVOIRS MOUNTED INSIDE RAILS			\$258.00
477-008	BW DV-2 AUTO DRAIN VALVE WITH HEATER - WET TANK, PETCOCKS ALL OTHERS			\$86.00
Trailer Connections	s de la companya del companya de la companya del companya de la co			
481-998	NO TRAILER AIR HOSE			STD
476-998	NO AIR HOSE HANGER			STD
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
310-998	NO TRAILER ELECTRICAL CABLE			STD
Wheelbase & Frame				
545-475	4750MM (187 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	320	140	\$1,950.00
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			N/C
552-037	1775MM (70 INCH) REAR FRAME OVERHANG			N/C



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	\$4.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 106.46 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 322.07 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 57.7 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 66.34 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		\$50.00
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment		13.0	7	1 3 1
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$80.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fifth Wheel				
578-998	NO FIFTH WHEEL			STD
Fuel Tanks				
204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	5		\$107.00
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-004	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			\$196.00
212-007	FUEL TANK(S) FORWARD			STD



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	664-001	PLAIN STEP FINISH			STD
	205-002	CHROME FUEL TANK CAP(S)			\$13.00
	122-1H8	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	5		\$313.00
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
	093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		\$896.00
	094-1YV	CONTINENTAL INTELLIGENT HDC3 11R22.5 16 PLY RADIAL REAR TIRES		192	\$1,120.00
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels	S		15-5		
	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		\$216.00
	505-428	ACCURIDE 28828 22,5X8,25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		104	STD
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Ex	cterior				
	829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	650-008	AIR CAB MOUNTING			STD
	705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2		\$87.00
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
	667-037	SHORT FENDER WITH MUDFLAP			\$141.00
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		\$115.00
	678-067	SAFETY YELLOW LH AND RH INTERIOR GRAB HANDLES AND LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			\$80.00
	645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			\$253.00



Data Code	Description	Weight Front	Weight Rear	Retail Price
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			\$88.00
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$15.00
644-006	FIBERGLASS HOOD WITH ACCESS HATCHES	10		\$682.00
652-001	FREIGHTLINER NAME PLATES			STD
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		\$117.00
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			(\$23.00)
726-002	DUAL ELECTRIC HORNS			\$14.00
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS			\$76.00
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			N/C
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			\$162.00
311-001	DAYTIME RUNNING LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			\$250.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
764-018	AERO BRIGHT EXTERIOR SUN VISOR	10		\$579.00
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS			STD
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			\$423.00
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
647-001	WHITE WINTERFRONT	2		\$60.00
Cab Interior		11. 11.11		
055-019	RUGGED TRIM PACKAGE			STD
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			STD
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-025	(1) 12V DASH MOUNTED POWER OUTLET			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-029	M2/SD DASH			STD
720-003	5 LB. FIRE EXTINGUISHER	10		\$60.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			\$31.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			\$16.00
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-034	PREMIUM INSULATION			\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B3	STANDARD LED CAB LIGHTING			STD
787-998	NO SECURITY DEVICE			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-004	KEY QUANTITY OF 4			\$18.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			STD
740-998	NO MATTRESS	-20	- 15	STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data	a Code	Description	Weight Front	Weight Rear	Retail Price
722-	-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		\$24.00
756-	-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		\$414.00
760-	-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			STD
759-	-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		\$69.00
711-	-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-	014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			(\$76.00)
761-	014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			(\$70.00)
763-	102	HIGH VISIBILITY ORANGE SEAT BELTS			\$26.00
532-	002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-	044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			(\$124.00)
765-	002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments	& Cont	rols			
106-	002	ELECTRONIC ACCELERATOR CONTROL			STD
732-	998	NO INSTRUMENT PANEL-DRIVER			STD
734-	022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			STD
870-	002	BRIGHT ARGENT FINISH GAUGE BEZELS			STD
486-	001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
838-	001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE			\$67.00
840-	001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-0	002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$12.00
721-0	003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3	\$77.00
149-0	015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-0	007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD



Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Data Code	Description	Weight Front	Weight Rear	Retail Price
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			\$79.00
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			N/C
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM			(\$32.00)
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			(\$1,019.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
72K-998	NO REVERSE PROXIMITY SENSOR			STD
679-998	NO OVERHEAD INSTRUMENT PANEL			STD
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		\$735.00
1U1-002	TOP OF DASH RAM MOUNT WITHOUT POWER OR GROUND, FOR CUSTOMER FURNISHED DEVICE			\$32.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100


D	ata Code	Description	Weight Front	Weight Rear	Retail Price
_	47-001	DASH MOUNTED RADIO			STD
75	50-002	(2) RADIO SPEAKERS IN CAB			STD
75	53-998	NO AM/FM RADIO ANTENNA			STD
74	48-006	POWER AND GROUND WIRING PROVISION OVERHEAD			N/C
74	49-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			N/C
75	5W-002	SHARKFIN MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS			STD
78	BC-003	INTEROPERABLE SDAR ANTENNA			STD
.81	10-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
81	17-001	STANDARD VEHICLE SPEED SENSOR			STD
81	12-001	ELECTRONIC 3000 RPM TACHOMETER			STD
81	13-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
18	D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			STD
38	DE-998	NO ASE DATA SVCE EXTENSION			STD
61	TS-009	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL (1) CENTER OF BACKWALL/PASSENGER SIDE BAGGAGE COMPARTMENT			\$45.00
16	32-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
32	29-133	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT			\$150.00
40	C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
40	C2-005	HARDWIRE SWITCH #2,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
4C	03-005	HARDWIRE SWITCH #3,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
40	C4-005	HARDWIRE SWITCH #4,0N/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$15.00
81	Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			\$43.00
26	4-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			STD
48	2-001	BW TRACTOR PROTECTION VALVE			N/C



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			N/C
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD
	87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			STD
Design			100		
	065-000	PAINT: ONE SOLID COLOR			STD
Color		And the last of th			1000
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	964 - 6 Z 7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			N/C
	963-003	STANDARD E COAT/UNDERCOATING			STD
Certific	ation / Comp	pliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Second	lary Factory	Options			
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY			N/C
	999-999	SOURCEWELL DEALER PROGRAM			N/C

TOTAL VEHICLE SUMMARY





Prepared by: Sebastien Wodzinski TRANSCHICAGO TRUCK GROUP 776 N. YORK STREET ELMHURST, IL 60126 Phone: 630 815 9100

Adjusted List Price

Adjusted List Price **

\$173,661.00

Weight Summary	O Street desired - Vision	Harry Branch and Co.	
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8272 lbs	6790 lbs	15062 lbs
Total Weight ⁺	8272 lbs	6790 lbs	15062 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PCA-005SOURCEWELL DEALER CHARGE\$800.00RD1-3133 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BYDETROIT CONNECT ON CUMMINS ENGINESSTDRAG-020CUMMINS TARIFF CHARGE - \$205\$205.00R26-001MY26 ESCALATOR\$3,750.00P73-2FTSTANDARD DESTINATION CHARGE\$3,375.00	PMV-024	GHG24 SURCHARGE - CUMMINS	\$555.00
VARY BY MODEL) POWERED BYDETROIT CONNECT ON CUMMINS ENGINES RAG-020 CUMMINS TARIFF CHARGE - \$205 \$205.00 R26-001 MY26 ESCALATOR \$3,750.00	PCA-005	SOURCEWELL DEALER CHARGE	\$800.00
R26-001 MY26 ESCALATOR \$3,750.00	RD1-313	VARY BY MODEL) POWERED BYDETROIT CONNECT ON CUMMINS	STD
46,105.00	RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
P73-2FT STANDARD DESTINATION CHARGE \$3,375.00	R26-001	MY26 ESCALATOR	\$3,750.00
	P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00

Extended Warranty

WAG-075 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING

\$460.00

COVERAGE \$750 CAP FEX APPLIES

Currency Exchange Rate

1.0000

Total Extended Warranty (Local Currency)

\$460.00



- (+) Weights shown are estimates only.

 If weight is critical, contact Customer Application Engineering.
- (**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.
- (***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

QUOTATION

108SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE

HENDRICKSON HAULMAAX EX 40,000# REAR SUSPENSION

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# TAPERLEAF FRONT SUSPENSION

108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4750MM (187 INCH) WHEELBASE

NO FIFTH WHEEL

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1775MM (70 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

DED HAIT

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF LIMITS (0)	rh.	400 500	Φ.	247.040
	TOTAL # OF UNITS (2)		•	\$	247,046
EXTENDED WARRANTY		\$	460	\$	920
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	123,983	\$	247,966
TAXES AND FEES	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	115		A41100	
TAXES AND FEES		\$	0	\$	0
OTHER CHARGES		\$	0	\$	0
TRADE-IN		100			100000
TRADE-IN ALLOWANCE		\$	(0)	\$	(0)
BALANCE DUE	(LOCAL CURRENCY)	\$	123,983	5	247,966
COMMENTS:					
Projected delivery on/ provided the order	der is received before _	/_	_/		
APPROVAL:					
Please indicate your acceptance of this quotation by	signing below:				
Customer: X	Date: 1 / 2	23, <u>2</u>	5		

Application Version 12.0.105 Data Version PRL-29D.023 VILLAGE OF LOMBARD TANDEM PLOW



01/14/2025 1:05 PM

Page 19 of 20

TOTAL

Prepared by:
Sebastien Wodzinski
TRANSCHICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630 815 9100

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

