

PRODUCTS, INC.

CUSTOMER QUOTE

Page 1

Quote #186515

Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

> Quoted By: Chris Fack Phone: 847-836-4996 Cell: 847-754-5035 Fax: 563-927-7108

Email: cfack@hendersonproducts.com

To: Village of Lombard

Attn:

Quote Date: 1/14/2025 Valid Until: 4/14/2025 NPPGov Contract# PS22170 NPPGov #: PLACEHOLDER

Quoted:

2025 Water Dept Dump Plow with Anti-Ice Valve

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders

Plow Portion Hitch: Plow portion picked under plow Hitch, Truck Portion: Quick hitch, low profile, 30.5"

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder

Custom Options: No Custom Options Required

Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Orange Poly Moldboard, all other gloss black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes

36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Hitch, Plow Portion: Quick hitch Plow portion hitch width: 30.5" Plow Portion Installed on Plow: Yes

Custom Option Fields: Note Custom Details Below

Option 1 Description: 118589 WINTER CUTTING EDGE 4ft. X 2 Option 2 Description: 118590 WINTER CUTTING EDGE 3ft.

HPI MarkE

COUNTRY/LANGUAGE: USA/ENGLISH









PRODUCTS, INC.

CUSTOMER QUOTE

Page 2

Quote #186515

Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 14' FLOOR LENGTH SIDE HEIGHT: 44" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET

SIDE BRACES: (1) 7GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INTERNAL DH, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*

HYDRAULIC LINES: 1/2" SS HYDRAULIC LINES DS LONGSILL

HOIST MOUNT TYPE: STANDARD WIDTH CRADLE

INSTALL HOIST & CRADLE: FACTORY INSTALLED H&C LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET

TAILGATE BRACE: 3 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT

TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD

CABSHIELD MATERIAL: 201SS, 7GA PANEL, 7GA ENDS

CABSHIELD LIGHTING: CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC

ASPHALT LIP: 12" PIN-ON 7GA 201 ASP LIP, INSTALL SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, FIXED UPR

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

WALK RAILS: 2" DRVR & CURB WALK RAIL

TARP RAILS: 3/4 INCH ROUND, 304SS TARP RAIL

TGS/ASPHALT LIP MOUNT HOLES: MNT HOLES IN APRON AND BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

Installation Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Hitch Type: Low Profile or Manual Tilt Type Hitch
Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Quick HCH Low Pro/MT Ck Plt Kit (No Wng, 34"w Full

Frame)









HENDERSON CUSTOMER QUOTE

PRODUCTS, INC.

Page 3 Quote #186515 Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Tandem Axle
Floor Length: 14ft Floor Length

Hoist Type: Tele Trunnion Hoist, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: Factory supplied electric over air valve release

Pressure Protection Valve: Direct to air tank valve (All except Int, Mack &

Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supplied/Installed @ Factory (sales to order w/ unit)

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Tarp Brand: US Tarp (order 86" c/s if using integral shield)

Tarp System: Electric Tarp, Bullet Proof Arms, w/o Wind Deflector

Tarp Material: Black Vinyl (Asphalt rated)
Tarp Length: 13.5'-15' Body Length (BV, US)

Body Install Options 1: TARP WILL NEED ASPHALT FLAPS

Body Spec Notes:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Body Mounted w/Logo

Mudflap Type (Front): Body Mounted Rubber, SS, w/ anti-sail brackets W/ LOGO

Pintle Hook: 2" Combination, 10 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Power Distribution Panel: Power Distribution Panel

Plow Lights: Plow Lts, ABL, Heated

Plow Light Brackets: Plow Lt Brckts, SS, PETERBILT 348, Pair Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes)

OEM Light Remount: Remount OEM Chassis Lights









PRODUCTS, INC.

CUSTOMER QUOTE

Page 4

Quote #186515

Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Rear Dump Bolster (Back-up): **B/U Lights, LED, Clear, Oval, pair (Order holes with body)**

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Back up alarm: Backup Alarm, 97db

Body up switch/light: Body UP Switch/Body Up Light (Trucklite)
Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 14' Backbone (For TA)

Camera: MS Foster

Camera Kit: Camera Sys, 7" Monitor, 1 Camera w/wash & Exten Cble IDC Light Package: 72" Justice (ILDOT) w/2 wk lites, Short Risers

Pavement Temp Sensor: Roadwatch kit w/ stand alone display

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Force America (Select Pkg Below)

Hyd Supplier (Spec): **QT001-2009673-1**

Controls Type: Cable Controls

Cable Qty: 3 Functions

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics

Low Oil Indicator: Yes, IDC Supplied

Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:

CENTRAL HYDRAULICS TO RUN
PLOW
HOIST
ANTI-ICE
INCLUDES FORCE AMERICA 5100 CONTROLLER TO CONTROL ANTI-ICING

Original package price: \$127,510.00

Total package w/applicable NPPGov discount: \$114,536.00

Freight: \$545.00 Package(s): 1 Total: \$115,080.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com.









PRODUCTS, INC.

CUSTOMER QUOTE Quote #186515 Rev #25

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Date: 1/23/25

Quote notes:

Henderson offers a deposit program with additional discounts. Please contact your Henderson sales representative for more details.

All Terms and Conditions Apply. Terms of Sale Document available at: http://www.hendersonproducts.com/assets/Terms_of_Sale.pdf









PRODUCTS, INC.

CUSTOMER QUOTE

Page 1

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

> Quoted By: Chris Fack Phone: 847-836-4996 Cell: 847-754-5035 Fax: 563-927-7108

Email: cfack@hendersonproducts.com

To: Village of Lombard

Attn:

Quote Date: 1/14/2025 Valid Until: 4/14/2025 NPPGov Contract# PS22170 NPPGov #: PLACEHOLDER

Quoted:

2025 Lombard Snow and Ice Truck

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders

Plow Portion Hitch: Plow portion picked under plow Hitch, Truck Portion: Quick hitch, low profile, 30.5"

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder Holding Valve for Lift Cylinder: Holding Valve For Lift Cylinder (shipped loose)

Custom Options: No Custom Options Required

Reversible snow plow

Plow Length: 11' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 3/8" polymer ILO steel

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Orange Poly Moldboard, all other gloss black

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes

36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Hitch, Plow Portion: Quick hitch Plow portion hitch width: 30.5" Plow Portion Installed on Plow: Yes

Custom Option Fields: Note Custom Details Below

Option 1 Description: 118589 WINTER CUTTING EDGE 4ft, X 2 Option 2 Description: 118590 WINTER CUTTING EDGE 3ft.

HPI MarkE









PRODUCTS, INC.

CUSTOMER QUOTE

Page 2

Quote #187695

Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

COUNTRY/LANGUAGE: USA/ENGLISH

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 14' FLOOR LENGTH SIDE HEIGHT: 44" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET

SIDE BRACES: (1) 7GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INTERNAL DH, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*

HYDRAULIC LINES: 1/2" SS HYDRAULIC LINES DS LONGSILL

HOIST MOUNT TYPE: STANDARD WIDTH CRADLE

INSTALL HOIST & CRADLE: FACTORY INSTALLED H&C

LONGSILLS: 8" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, WITH BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET

TAILGATE BRACE: 3 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON,22"x86", W/ TARP SHROUD

CABSHIELD MATERIAL: 201SS, 7GA PANEL, 7GA ENDS

CABSHIELD LIGHTING: CS LIGHTS, 4 REAR RECTANGLE, ILDOT SPEC

ASPHALT LIP: 12" PIN-ON 7GA 201 ASP LIP, INSTALL SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, FIXED UPR

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

WALK RAILS: 2" DRVR & CURB WALK RAIL

TARP RAILS: 3/4 INCH ROUND, 304SS TARP RAIL

VIBRATOR LOCATION: VIBRATOR PAD BETWEEN LONGSILLS

TGS/ASPHALT LIP MOUNT HOLES: MNT HOLES IN APRON AND BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader

Hopper length: 14'

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 50" (7.9 CY) w/ formed chain shields standard

Conveyor: Single 7" dia. auger Gearcase: 3.6:1 planetary gearcase









PRODUCTS, INC.

Page 3 Quote #187695 Rev #46

CUSTOMER QUOTE

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Chute type: Standard Dump Over Chute Same Material as Hopper

Spinner disk: Standard disk with Stainless Vanes

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory
Hold down kits: Dump body kit w/ rachet straps

Cabshields: 58" to 62" cab height, 201SS (Installed)

Ladders: Rear mount, 304SS (loose "SL")

Rear bumper: Rear bumper (mild steel), shipped loose Rubber side shields: Rubber side shields (loose "SL")

Metal spill shields: Front metal spill shields, 304SS (loose "SL") Extended front idler grease tubes: Extended front idler grease tubes

Body Guides: Body Guides (loose "SL")

Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL") Install Henderson pre-wet system: Install Henderson pre-wet system

Conveyor speed sensor: Conveyor speed sensor Option 1 Description: 14ft. SS Steel Leg Stand

PWS liquid pre-wetting system

Power Source: Hydrualic Powered Pump

Application: V-box spreader

Product Size: Full Size V-Box 14FT Long or Longer

Control Box: No Valve, Hydraulic Powered Pump and Flow Meter

Pump: Standard 4.1 GPM Bronze Gear Pump

Tank Size: (2) 200 Gal Poly Tanks w/plumb & HW Requires 24" Bracing

Spray Assembly: Std Variable Displacement Nozzle Assembly

Prewet Installed: Installation on FSH

Mounting Hardware: 304SS frame mount hardware for FSH

Flush Kit: System flush kit

Installation Workup

Facility: IDC-IL

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Hitch Type: Low Profile or Manual Tilt Type Hitch Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Quick HCH Low Pro/MT Ck Plt Kit (No Wng, 34"w Full

Frame)

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): **IDC Install of fact supplied markers, sales to order**w/ unit









PRODUCTS, INC.

Page 4 Quote #187695 Rev #46

CUSTOMER QUOTE

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Tandem Axle
Floor Length: 14ft Floor Length

Hoist Type: Tele Trunnion Hoist, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: Factory supplied electric over air valve release
Pressure Protection Valve: Direct to air tank valve (All except Int, Mack &

Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supplied/Installed @ Factory (sales to order w/ unit)

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY) Ladder Install Style (Dump) 1: 3 Step Pull Out

Ladder Install Loc 1 (Dump): Driver Side Front

Tarp Brand: US Tarp (order 86" c/s if using integral shield)

Tarp System: Electric Tarp, Bullet Proof Arms, w/o Wind Deflector

Tarp Material: Black Vinyl (Asphalt rated)
Tarp Length: 13.5'-15' Body Length (BV, US)

Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps) Ladder: Factory supplied, installed @ IDC (sales to order with unit)

FSH Spinner Configuration: Standard Spinner install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Prewet/Liquid System: V-box Prewet System

System Type: FSH

Drive Configuration: Hydraulic Drive, Vendor Supplied (sales to quote w/ hyd)

Controls: Supplied by IDC (sales to order w/ hyd cntrls)

Flush Kit: Supplied by factory, Installed @ IDC (sales to order w/unit)

Liquid Details:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Body Mounted w/Logo

Mudflap Type (Front): Body Mounted Rubber, SS, w/ anti-sail brackets W/ LOGO

Pintle Hook: 2" Combination, 10 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)









PRODUCTS, INC.

CUSTOMER QUOTE
Page 5
Quote #187695
Rev #46

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Power Distribution Panel: Power Distribution Panel

Plow Lights: Plow Lts, ABL, Heated

Plow Light Brackets: Plow Lt Brckts, SS, PETERBILT 348, Pair Worklight(s) QTY: (QTY 2) Work Lights (Select type below)
Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: Rear Spinner

Worklight (2) Type: LED, Worklight, 4in Round (Optilux)

Worklight (2) Gen Location: On rear of body

Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes)

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster (Back-up): **B/U Lights, LED, Clear, Oval, pair (Order holes with body)**

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Back up alarm: Backup Alarm, 97db

Body up switch/light: Body UP Switch/Body Up Light (Trucklite)
Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 14' Backbone (For TA)

Camera: MS Foster

Camera Kit: Camera Sys, 7" Monitor, 1 Camera w/wash & Exten Cble IDC Light Package: 72" Justice (ILDOT) w/2 wk lites, Short Risers

Pavement Temp Sensor: Roadwatch kit w/ stand alone display

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Force America (Select Pkg Below)

Hyd Supplier (Spec): QT001-2009765-1

Controls Type: Cable Controls

Cable Qty: 3 Functions

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics

Low Oil Indicator: Yes, IDC Supplied

SS Tubing Upgrade: TA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:









PRODUCTS, INC.

CUSTOMER QUOTE

Page 6

11921 SMITH DRIVE HUNTLEY, IL 60142 PHONE: 847-836-4996 FAX: 563-927-7108

FORCE AMERICA 5100 EX SPREADER CONTROLLER
CENTRAL HYDRAULICS TO RUN
PLOW
HOIST
AUGER
SPINNER
PREWET

CLOSED LOOP SYSTEM

Force America VT35 -OIL/VALVE ENCLOSURE STAINLESS STEEL

Original package price: \$201,922.00

Total package w/applicable NPPGov discount: \$177,497.00

Freight: \$779.00 Package(s): 1 Total: \$178,275.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com.

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: A decided to the signed of the signe

Date: 1/23/25

Quote notes:

Henderson offers a deposit program with additional discounts. Please contact your Henderson sales representative for more details.

All Terms and Conditions Apply. Terms of Sale Document available at: http://www.hendersonproducts.com/assets/Terms_of_Sale.pdf





