Street: E.B. Washington@Edgewood

A study of vehicle traffic was conducted with HI-STAR unit number 6779. The study was done in the lane on E.B. Washington@Edgewood in LOMBARD, IL in DUPAGE county. The study began on 09/05/2001 at 10:00 AM and concluded on 09/06/2001 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 734 vehicles passed through the location with a peak volume of 97 on 09/06/2001 at 07:00 AM and a minimum volume of 0 on 09/06/2001 at 12:00 AM. The AADT Count for this study was 734.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

0 to 10	11 to 15	16 to 20	21 to 25	26 to 30	31 to 35	36 to 40	41 to 45	46 to 50	51 to 55	56 to 59	60 to 64	65 to 69	70 tô 74	75 >
0	14	68	247	309	71	15	4	3	1	2	0	0	0	0

At least half of the vehicles were traveling in the 26 - 30 mph range or a lower speed. The average speed for all classified vehicles was 24 mph with 13.0 percent exceeding the posted speed of 30 mph. The HI-STAR found 0.27 percent of the total vehicles were traveling in excess of 55 mph. The mode speed for this traffic study was 26 mph and the 85th percentile was 26.27 mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin

Chart 2

0	21	28	40	50	60	69	81
to	to	to	to 49	to 59	to 68	to 80	>
20	27	39	49	09	00		
692	33	8	1 1	0	0	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 725 which represents 98.80 percent of the total classified vehicles. The number of Small Trucks in the study was 8 which represents 1.10 percent of the total classified vehicles. The number of Trucks/Busses in the study was 1 which represents 0.10 percent of the total classified vehicles. The number of Tractor Trailers in the study was 0 which represents 0.00 percent of the total classified vehicles

HEADWAY

During the peak time period, on 09/06/2001 at 07:00 AM the average headway between the vehicles was 36.73 seconds. The slowest traffic period was on 09/06/2001 at 12:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 68 and 91 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

09/05/2001 [10:00 AM-11:00 AM]	HI-Star ID: 6779 Street: E.B. Washington@ State: IL City: LOMBARD County: DUPAGE)Edg	ewo	od	La O _l Po	ne: per: oste	EP d: 30			10:0	0 AN	i F	Hours Perio Raw	09/0 s: 24 d: 60 Cour Cou	l:00 0 nt: 7:	34	0:00	AM	
Date & Time Range	NC97 - mph	0	11	16			26	1					l .						
09/05/2001 [11:00 AM-12:00 PM]	Date & Time Range					_								1	1		>	Т	otal
09/05/2001 [11:00 AM-12:00 PM]	00/05/2001 [10:00 AM-11:00 AM]		0		2	13	17	3	0	0	0	0	0	0	0	0	0	<u> </u>	35
09/05/2001 [12:00 PM-02:00 PM]	-									_				_		_	_		28
08/05/2001 [01:00 PM-02:00 PM]		-	-				-		-	-	_	-	_	-	_		_		29
09/05/2001 [02:00 PM-03:00 PM]	_								_		-	_		_	-		_		30
09/05/2001 [03:00 PM-04:00 PM]	· · · · · · · · · · · · · · · · · · ·	-								-	_	_	_	_	-	_	_		51
09/05/2001 [01:00 PM-05:00 PM]		_							-	_	_	_	_	_	-	-	_		54
08/05/2001 [05:00 PM-06:00 PM]		_	•								_	_	_	_	-	_	•		68
09/05/2001 [06:00 PM-07:00 PM]			_		-		-			-	_	_		_	_	_			65
09/05/2001 [07:00 PM-08:00 PM]	<u>-</u>	_									-	_				_	_		40
09/05/2001 [08:00 PM-09:00 PM]	-	_			•						-	_		-					35
09/05/2001 [09:00 PM-10:00 PM]	-		_					-		_	-	_		_		_	-		25
09/05/2001 [10:00 PM-11:00 PM]	-	_	_		_					_	_	-			_	_	-		25 18
09/05/2001 [11:00 PM-12:00 AM]	-		_		_			_	_	-	_	_	_	_	_		-		
Daily Totals: 0	<u>-</u>	_	-		•				-	_	-	_		-	_	-	_		11
09/06/2001 [12:00 AM-01:00 AM]	09/05/2001 [11:00 PM-12:00 AM]	0	. 0		0	1	2	1	0	0	0	0	0	0	U	Û		-	4
09/06/2001 [12:00 AM-01:00 AM]	Daily Totals:	C		-	46	407	209					-				0	^	0	493
09/06/2001 [01:00 AM-02:00 AM]				1		167		47			.				U		U		433
09/06/2001 [07:00 AM-03:00 AM]	•					-													0
09/06/2001 [03:00 AM-04:00 AM]		-	_		-	-		_	_	-	_	_	_	_	_				1
09/06/2001 [03:00 AM-05:00 AM]			-		-	•	-		_			_	-		_		_		2
09/06/2001 [05:00 AM-06:00 AM]	-	-	_			-	_					_							1
09/06/2001 [06:00 AM-07:00 AM]	-					-	-	_	-	_	_	_		_		_	_		13
09/06/2001 [07:00 AM-08:00 AM]						•			-	-	_	-	_	_	_	-			29
09/06/2001 [08:00 AM-09:00 AM]	-					-			_	-	_	_	_		-				97
09/06/2001 [09:00 AM-10:00 AM] 0 0 4 18 13 3 0 0 0 0 0 0 0 0 0 0 0 Daily Totals: 0 22 100 4 2 0 0 0 7 80 24 1 1 0 0	•		-		-					•	•		_		-				
Daily Totals: 0 22 100 4 2 0 0 0 0 7 80 24 1 1 0 0	•				_					_									60
7 80 24 1 1 0 0	09/06/2001 [09:00 AM-10:00 AM]	0	0	1	4	18	13	3	0	0	0	0	. 0	· U) () () ()	38
	Daily Totals:	(0		22					4		2		0	_	0	_	0	0.44
Penort Totals: 0 68 309 15 3 2 0 0	,			7		80	ŀ	24	1		1		1		U		U		241
Troport Totalor	Report Totals:	(0		68		309			5		3		2	_	0	•	0	
14 247 71 4 1 0 0			1	4		247	,	7′	1		4		1		U		U		734

Street: W.B. Washington@Edgewood

A study of vehicle traffic was conducted with HI-STAR unit number 6759. The study was done in the lane on W.B. Washington@Edgewood in LOMBARD, IL in DUPAGE county. The study began on 09/05/2001 at 10:00 AM and concluded on 09/06/2001 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 921 vehicles passed through the location with a peak volume of 108 on 09/05/2001 at 05:00 PM and a minimum volume of 0 on 09/06/2001 at 03:00 AM. The AADT Count for this study was 921.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

0 to 10	11 to 15	16 to 20	21 to 25	26 to 30	31 to 35	36 to 40	41 to 45	46 to 50	51 to 55	56 to 59	60 to 64	65 to 69	70 to 74	75 >
0	14	24	128	390	277	56	16	6	2	1	3	2	.1	0

At least half of the vehicles were traveling in the 26 - 30 mph range or a lower speed. The average speed for all classified vehicles was 28 mph with 39.5 percent exceeding the posted speed of 30 mph. The HI-STAR found 0.76 percent of the total vehicles were traveling in excess of 55 mph. The mode speed for this traffic study was 26 mph and the 85th percentile was 30.58 mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

0		21	28	40	50	60	69	81
to		to	to	to	to	to	to	>
20		27	39	49	- 59	68	80	
86	5	42	7	3	1	0	1	1

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 907 which represents 98.60 percent of the total classified vehicles. The number of Small Trucks in the study was 7 which represents 0.80 percent of the total classified vehicles. The number of Trucks/Busses in the study was 3 which represents 0.30 percent of the total classified vehicles. The number of Tractor Trailers in the study was 3 which represents 0.30 percent of the total classified vehicles

HEADWAY

During the peak time period, on 09/05/2001 at 05:00 PM the average headway between the vehicles was 33.03 seconds. The slowest traffic period was on 09/06/2001 at 03:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 70 and 105 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

HI-Star ID: 6759 Street: W.B. Washington@ State: IL City: LOMBARD County: DUPAGE	DEdg	gewo	od	Lane Oper Post	: : EP ed: 3			10:0	O AN	i i	Hours Perio Raw	09/0 s: 24 d: 60 Cour Γ Cou	i:00 0 nt: 9:	21	0:00	AM	
NC97 - mph	.0	11	16	21	26	31	36	41	46	51	56	60	65	70	75		
	to	to	to	to	to	to	to	to	to	to	to	to	to	to	>		
Date & Time Range	10	15	20	25	30	35	40	45	50	55	59	64	69	74		10	tal
09/05/2001 [10:00 AM-11:00 AM]	0	0	1	2	19	17	1	1	0	0	1	0	0				42
09/05/2001 [11:00 AM-12:00 PM]	0	1	1	5	18	16	5	1	0	0	0	0	0	0			47
09/05/2001 [12:00 PM-01:00 PM]	0	2	0	8	13	12	1	1	0	0	0	0	0	0			37
09/05/2001 [01:00 PM-02:00 PM]	0	0	2	6	18	13	3	1	1	0	0	0	0	0) .	44
09/05/2001 [02:00 PM-03:00 PM]	0	1	3	12	29	13	3	1	0	0	0	0	0	0	• ()	62
09/05/2001 [03:00 PM-04:00 PM]	0	2	1	5	21	23	5	2	1	0	0	0	0	0	• ()	60
09/05/2001 [04:00 PM-05:00 PM]	0	2	2	6	26	29	8	1	0	0	0	2	0	0	()	76
09/05/2001 [05:00 PM-06:00 PM]	0	2	3	18	43	30	6	1	3	1	0	1	0	0) ()	108
09/05/2001 [06:00 PM-07:00 PM]	0	0	2	11	43	22	7	1	0	0	0	0	1	0) ()	87
09/05/2001 [07:00 PM-08:00 PM]	0	0	0	5	35	10	0	2	0	0	. 0	0	0	0) ()	52
09/05/2001 [08:00 PM-09:00 PM]	Ò~	1	1	9	22	12	1	0	0	0	0	0	0	0) ()	46
09/05/2001 [09:00 PM-10:00 PM]	0	1	0	3	. 14	4	0	0	0	0	0	0	·0	0) ()	22
09/05/2001 [10:00 PM-11:00 PM]	0	0	0	3	6	7	2	0	0	0	0	0	0	C) ()	18
09/05/2001 [11:00 PM-12:00 AM]	0	0	0	0	3	7	1	0	0	1	0	0	0	C) ()	12
Daily Totals:	()	1	6	31	0	4:	3	•	5		1		1		0	
•		1:	2	9:	3	215	5	1:	2		2		3		0		713
09/06/2001 [12:00 AM-01:00 AM]	0	0	1	0	2	0	1	0	0	0	0	0	0) ()	4
09/06/2001 [01:00 AM-02:00 AM]	0	0	0	- 0	3	0	0	0	0	0	0	0	0) () ()	3
09/06/2001 [02:00 AM-03:00 AM]	0	0	0	0	0	1	0	0	0	0	0	0	0) () ()	1
09/06/2001 [03:00 AM-04:00 AM]	0	0	0	0	0	0	´ 0	0	0	0	0	0	0) () (כ	0
09/06/2001 [04:00 AM-05:00 AM]	0	0	0	0	0	0	0	0	0	0	0	0	0) () ()	0
09/06/2001 [05:00 AM-06:00 AM]	0	0	1	3	4	2	0	0	0	0	0	0) () . ()	10
09/06/2001 [06:00 AM-07:00 AM]	0	0	0	6	4	10	1	0	1	0	0	0	· C		-	כ	22
09/06/2001 [07:00 AM-08:00 AM]	0	0	2	5	26	20	5	1	0	. 0	0	0)	61
09/06/2001 [08:00 AM-09:00 AM]	. 0	1	2	. 16	26	16	2	_ 2	0	0	0	0) () ()	0	65
09/06/2001 [09:00 AM-10:00 AM]	0	1	2	5	15	13	4	1	0	0	0	0	• •) ()	0	41
Daily Totals:	. (0		8	8	0	1	3		1		0		1		0 .	
•			2	3	5	62	2		4		0		0		1 .		207
Report Totals:	1	0	2	24	39	0	5	6		6		1		2		0	
•			4	12	8	27	7	1	6		2		3		1		920
Report Percentages:	0.00			% 13.91		% 30 11		% 1.74		5% 0.22		1% 0.33		2% 0.1		0%	

Street: E.B. Washington@Grace

A study of vehicle traffic was conducted with HI-STAR unit number 799. The study was done in the lane on E.B. Washington@Grace in LOMBARD, IL in DUPAGE county. The study began on 09/05/2001 at 10:00 AM and concluded on 09/06/2001 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 533 vehicles passed through the location with a peak volume of 51 on 09/06/2001 at 07:00 AM and a minimum volume of 0 on 09/06/2001 at 01:00 AM. The AADT Count for this study was 533.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

0 to 10	11 to 15	16 to 20	21 to 25	26 to 30	31 to 35	36 to 40	41 to 45	46 to 50	51 to 55	56 to 59	60 to 64	65 to 69	70 to 74	75 >
0	4	27	163	236	68	19	6	4	1	1	1	2	0	0

At least half of the vehicles were traveling in the 26 - 30 mph range or a lower speed. The average speed for all classified vehicles was 25 mph with 63.5 percent exceeding the posted speed of 25 mph. The HI-STAR found 0.75 percent of the total vehicles were traveling in excess of 55 mph. The mode speed for this traffic study was 26 mph and the 85th percentile was 28.13 mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each

Chart 2

Г	0	21	28	40	50	60	69	81
	to 20	to 27	to 39	to 49	to 59	to 68	to 80	>.
t	491	33	7	1	0	0	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 524 which represents 98.50 percent of the total classified vehicles. The number of Small Trucks in the study was 7 which represents 1.30 percent of the total classified vehicles. The number of Trucks/Busses in the study was 1 which represents 0.20 percent of the total classified vehicles. The number of Tractor Trailers in the study was 0 which represents 0.00 percent of the total classified vehicles

HEADWAY

During the peak time period, on 09/06/2001 at 07:00 AM the average headway between the vehicles was 69.23 seconds. The slowest traffic period was on 09/06/2001 at 01:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 68 and 85 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

HI-Star ID: 799 Street: E.B. Washington@ State: IL City: LOMBARD County: DUPAGE)Grad	се		Begin Lane: Oper: Poste AADT	EP :d: 2:	5		10:0	0 AN	} F F	Hours Perio Raw	09/0 s: 24 d: 60 Cour Γ Cou	l:00 0 nt: 5	33	0:00	AM	
NC97 - mph	0	11	16	21	26	31	36	41	46	51	56	60	65	70	75		
Date & Time Range	to 10	to 15	to 20	to 25	to 30	to 35	to 40	to 45	to 50	to 55	to 59	to 64	69	to 74	>		Total
09/05/2001 [10:00 AM-11:00 AM]	0	0	2	8	7	5	1	0	2	0	0	0	0	C)	0	25
09/05/2001 [11:00 AM-12:00 PM]	0	0	4	9	8	0 '	0	1	0	. 0	0	0	0	C	1	0	22
09/05/2001 [12:00 PM-01:00 PM]	0	1	1	4	9	7	0	0	0	0	0	0	0	C)	0	22
09/05/2001 [01:00 PM-02:00 PM]	0	0	3	10	16	5	1	0	0	0	0	0	0	C)	0	35
09/05/2001 [02:00 PM-03:00 PM]	0	0	0	8	17	4	2	0	0	0	0	0	0	C)	0	31
09/05/2001 [03:00 PM-04:00 PM]	0	0	1	12	11	5	1	0	0	0	0	0	0	_		0	30
09/05/2001 [04:00 PM-05:00 PM]	0	0	2	12	22	3	0	1	1	1	0	0	0	(0	42
09/05/2001 [05:00 PM-06:00 PM]	0	0	0	17	19	5	. 1	1	0	0	0	0	0	(0	43
09/05/2001 [06:00 PM-07:00 PM]	0	0	2	11	17	2	2	1	0	0	0	0				0	35
09/05/2001 [07:00 PM-08:00 PM]	0	0	0	13	17	1	2	1	0	0	0	0				0	34
09/05/2001 [08:00 PM-09:00 PM]	0	0	2	5	13	3	1	0	0	0	0	0			-	0	24
09/05/2001 [09:00 PM-10:00 PM]	0	0	1	3	6	0	0	0	0	0	0	0				0	11
09/05/2001 [10:00 PM-11:00 PM]	0	0	0	2	5	1	1	. 0	0		0	0				0	9
09/05/2001 [11:00 PM-12:00 AM]	0	0	0	0	1	1	0	0	0	0	0	0	0	()	0	2
Daily Totals:	. ()	1 1	8 114	168 I	3 42	12		5	3	1	0	0	1 .	0	0	365
		_	_		,			•	•	•		^			`	^	3
09/06/2001 [12:00 AM-01:00 AM]	0	0		1	1	1	0	0	0							0 0 -	0
09/06/2001 [01:00 AM-02:00 AM]	0	0	0		0	0	0	0	0	_						0	3
09/06/2001 [02:00 AM-03:00 AM]	0	0	0		1	2	0	0	0						-	0	1
09/06/2001 [03:00 AM-04:00 AM]	0	0	0	-	1	0	0	0	0		_				-	0	1
09/06/2001 [04:00 AM-05:00 AM]	0	0	0		3	1	2	1	0		_		_		5	0	9
09/06/2001 [05:00 AM-06:00 AM]	_	0	1	-	9	1	1	ò	0	_)	0	23
09/06/2001 [06:00 AM-07:00 AM]		1	2		28	6	2	0	0	_			-		0	ō	50
09/06/2001 [07:00 AM-08:00 AM] 09/06/2001 [08:00 AM-09:00 AM]	_	1	3		13	9	0	Ö	0						0	Ō	44
09/06/2001 [09:00 AM-10:00 AM]		1			11	6	2	0	1						0	0	33
Daily Totals:	l	0	3	9 49	68 9 ,	3 26		7	1	1	0	1	1	1	0	0	167
Report Totals:		0	4	.7 16	23 (3	6 6	1! 8		6	4	1	1	1	2	0	0	532
Report Percentages:	0.00		5.08		14.36°		3.57		0.75	5% 0.19	0.19 9%	9% 0.19	0.3i 9%		0.0 0%	00%	

Street: W.B. Washington@Grace

A study of vehicle traffic was conducted with HI-STAR unit number 7961. The study was done in the lane on W.B. Washington@Grace in LOMBARD, IL in DUPAGE county. The study began on 09/05/2001 at 10:00 AM and concluded on 09/06/2001 at 10:00 AM, lasting a total of 24 hours. Data was recorded in 60 minute time periods. The total recorded volume of traffic showed 691 vehicles passed through the location with a peak volume of 98 on 09/05/2001 at 05:00 PM and a minimum volume of 0 on 09/06/2001 at 03:00 AM. The AADT Count for this study was 691.

SPEED

Chart 1 lists the values of the speed bins and the total traffic volume for each bin.

Chart 1

0 to 10	11 to 15	16 to 20	21 to 25	26 to 30	31 to 35	36 to 40	41 to 45	46 to 50	51 to 55	56 to 59	60 to 64	65 to 69	70 to 74	75 >
0	16	23	126	325	158	30	11	2	0	0	0	0	0	0

At least half of the vehicles were traveling in the 26 - 30 mph range or a lower speed. The average speed for all classified vehicles was 26 mph with 76.1 percent exceeding the posted speed of 25 mph. The HI-STAR found 0.00 percent of the total vehicles were traveling in excess of 55 mph. The mode speed for this traffic study was 26 mph and the 85th percentile was 29.58 mph.

CLASSIFICATION

Chart 2 lists the values of the eight classification bins and the total traffic volume accumulated for each bin.

Chart 2

	0 to 20	21 to 27	28 to 39	40 to 49	50 to 59	60 to 68	69 to 80	81 >
İ	582	94	12	1	2	0	0	0

Most of the vehicles classified during the study were Passenger Cars. The number of Passenger Cars in the study was 676 which represents 97.80 percent of the total classified vehicles. The number of Small Trucks in the study was 12 which represents 1.70 percent of the total classified vehicles. The number of Trucks/Busses in the study was 1 which represents 0.10 percent of the total classified vehicles. The number of Tractor Trailers in the study was 2 which represents 0.30 percent of the total classified vehicles

HEADWAY

During the peak time period, on 09/05/2001 at 05:00 PM the average headway between the vehicles was 36.36 seconds. The slowest traffic period was on 09/06/2001 at 03:00 AM. During this slowest period, the average headway was 3600.0 seconds.

WEATHER

The roadway surface temperature over the period of the study varied between 64 and 87 degrees Fahrenheit. The HI-STAR determined that the roadway surface was Dry 100.00 percent of the time.

HI-Star ID: 7961 Street: W.B. Washington@ State: IL City: LOMBARD County: DUPAGE	@Gra	ace		Begin Lane: Oper: Poste AADT	EP d: 25	5		10:0	0 AM	 	End: Hours Perio Raw AADT	s: 24 d: 60 Cour	1:00 0 nt: 6	91	0:00	AM	
NC97 - mph	0 to	11 to	16 to	21 to	26 to	31 to	36 to	41 to	46 to	51 to	56 to	60 to	65 to	70 to	75 >		
Date & Time Range	10	15	20	25	1	35	40	45	50	55	59	64	69	74		Т	otal
09/05/2001 [10:00 AM-11:00 AM]	0	1	1	14	9	2	1	0	.0	0	0	0					28 26
09/05/2001 [11:00 AM-12:00 PM]	0	0	3	4	10	.7	1	1	0	0	0	0	_	_			
09/05/2001 [12:00 PM-01:00 PM]	0	0	1	5	16	6	2	1	0	0	0	0	0	_	-		31 42
09/05/2001 [01:00 PM-02:00 PM]	0	1	3	13	17	8	0	0	0	0	0	0		-	_		42 54
09/05/2001 [02:00 PM-03:00 PM]	0	0	1	6	29	17	0	0	1	0	0	0	_	_	•		45
09/05/2001 [03:00 PM-04:00 PM]	0	2	2	6	17	16	1	1	0	0	0	0	-	_			55
09/05/2001 [04:00 PM-05:00 PM]	0	2	2	11	23	7	8	2 1	0	0	0	0		_	_		98
09/05/2001 [05:00 PM-06:00 PM]	0	1	1	12	57	23	3 2	2	1	0	0	0		_			71
09/05/2001 [06:00 PM-07:00 PM]	0	1	3	11	34	17	2	0	ι 0	0	0	0		_			46
09/05/2001 [07:00 PM-08:00 PM]	0	1	2	17	16	8	1	0	0	0	0	0		_			30
09/05/2001 [08:00 PM-09:00 PM]	0	0	0	6	16	7 2	0	0	0	0	0	0					19
09/05/2001 [09:00 PM-10:00 PM]	0	1	1	1	14	1	1	0	0	_	_	0	-		-		10
09/05/2001 [10:00 PM-11:00 PM]	0	0	0	2	6 4	1	0	0	0		0	0		_	-		6
09/05/2001 [11:00 PM-12:00 AM]	0	. 1	0	U	4	ı	U	U	U	U	U	U			,	,	٥.
Daily Totals:		0	2		268		22			2		0		0		0	
		1	1	108	}	122	2	1	8		0		0		0		561
09/06/2001 [12:00 AM-01:00 AM]	0	0	0	0	1	0	0	0	0								1
09/06/2001 [01:00 AM-02:00 AM]	0	0	0	0	0	1	2	1	0) (4
09/06/2001 [02:00 AM-03:00 AM]	0	0	0	0	0	_/ 0	2	0	0)	2
09/06/2001 [03:00 AM-04:00 AM]	0	0	0		0	0	0	0	0	-)	0
09/06/2001 [04:00 AM-05:00 AM]	0	0	0		0	1	0	0	0	_	_)	1
09/06/2001 [05:00 AM-06:00 AM]	0		0	_	1	0	0	0	0	_	_)	5
09/06/2001 [06:00 AM-07:00 AM]		-	.0	_	5	8	0	1	0)	22 27
09/06/2001 [07:00 AM-08:00 AM]	0				12	13	0	1	0)	
09/06/2001 [08:00 AM-09:00 AM]					27	7	3	0	0						-)	45
09/06/2001 [09:00 AM-10:00 AM]	0	2	1	2	11	6	1	0	0	0	0	· C) () () ()	23
Daily Totals:		0	5	3 18	57 3	36		8	3	0	0	0	0	0	0	0	130
Report Totals:		0 1	6	:3 126	325 3	158	3 8		1	2	0	0	0	0	0	0	691
Report Percentages:	0.00	% 2.32		3% 4 18.23		6 2.87		% 1.59		9% 0.00	0.00 0%	0.00		0.0		0%	